


Aria Chainless Roller Shade


Installation Instructions

1 INSTALL MOUNTING BRACKETS

STEP 2A: CEILING MOUNT





STEP 2B: WALL MOUNT





2 INSTALL THE SHADE

Insert the shade into the left mounting bracket. The clip will be attached to the right side of the shade. With the clip in the down position, slowly insert the clip into the right mounting bracket.



3 INSTALL THE FASCIA COVER

Hook the Fascia cover onto the top of each mounting bracket, and push forward until the Fascia cover engages at the bottom of each mounting bracket.




Adjusting Upper Limit (If Required)

4

TAKE THE SHADE DOWN

(ENSURE UPPER LIMIT HAS BEEN REACHED)

Remove the Fascia cover from the mounting brackets by pulling from the bottom and lifting up. Push the tab on the clip to the left to release, and pull the clip from the right side of the bracket. The shade can now be removed.



5

ROTATE SHADE TO SET NEW LIMIT

Roll the shade by hand to a new upper limit. Insert the shade into the left mounting bracket. With the clip in the down position, slowly insert the clip into the right mounting bracket. Make sure the shade is in the locked position (refer to step 2).



6

REINSTALL FASCIA COVER


(See step 3)

Stores sans Chaîne Aero


Instructions d'installation

1 INSTALLER LES SUPPORTS DE MONTAGE

ÉTAPE 2A: MONTAGE AU PLAFOND





ÉTAPE 2B: MONTAGE MURAL





2 INSTALLER LE STORE

Insérez le store dans le support de montage gauche. Le clip sera fixé sur le côté droit du store. Avec le clip en position basse, insérez le clip dans le support de montage droit.



3 INSTALLER LE COUVERCLE DU FASCIA

Accrochez le couvercle de fascia en haut de chaque support de montage et poussez-le vers l'avant jusqu'à ce qu'il s'enclenche en bas de chaque support de montage.




Réglage de la Limite Supérieure (si nécessaire)

4

RETIRER LE STORE

(S'assurer que la limite supérieure a été atteinte)

Retirez le couvercle de la façade des supports de montage en le tirant par le bas et en le soulevant. Poussez la languette du clip vers la gauche pour le dégager, et tirez le clip du côté droit du support. Le store peut maintenant être retiré.



5

TOURNER LE STORE POUR FIXER UNE NOUVELLE LIMITE

Enroulez le store à la main jusqu'à la nouvelle limite supérieure. Insérez le store dans le support de montage gauche. Le clip étant en position basse, insérez lentement le clip dans le support de montage droit. Assurez-vous que le dispositif d'ombrage est en position verrouillée (voir l'étape 2).



6

RÉINSTALLER LE COUVERCLE DU FASCIA

(Voir l'étape 3)