



OFF CUT SHADES


Retail Price Guide

50 Hollinger Road, Toronto, ON, M4B 3G5
Phone: 416-266-3501 Phone Toll Free: 1-800-668-1728
Fax: 416-266-5484 Fax Toll Free: 1-877-245-9943
E-Mail: info@offcutshades.com
Website: www.offcutshades.com

Table of Contents

(Click on the Off Cut Shades logo to return here from any page)


(Click the pic of any section to jump there)



Fabrics



Automation & Controls



Hems



Roller Shades

Table of Contents

(Click on the Off Cut Shades logo to return here from any page)

(Click the pic of any section to jump there)



Aero Chainless Shades



Dual Roller Shades



Fixed Shades




Banded Shades



Sheer Shades



Simply Cellular



Limitations Chart 2

Shade Type	Operation	Weight (lbs)	Width (inches)	Height (inches)
Fabric Roller	Chain	<28	48-72	73-96
Fabric Roller	Motor	120	120	48
Fabric Roller	Zero Gravity	120	120	48
3" Fabric	Chain	120	120	48
3" Fabric	Motor	120	120	48
3" Fabric	Zero Gravity	120	120	48
4" Fabric	Chain	120	120	48
4" Fabric	Motor	120	120	48
4" Fabric	Zero Gravity	120	120	48
Curved Cassette	Chain	120	120	48
Curved Cassette	Motor	120	120	48
Curved Cassette	Zero Gravity	120	120	48
PVC Valance	Chain	120	120	48
PVC Valance	Motor	120	120	48
PVC Valance	Zero Gravity	120	120	48

Limitations



FABRICS



Fabrics

Sunscreens

Sunscreen fabrics are performance or technical fabrics which give ultimate control over natural light. Our broad range of sunscreens make them appropriate for any application. Whether your goal is reducing solar heat gain, protecting interiors against damaging UV rays, or improving the comfort of any interior space through glare control or temperature control – sunscreens are the solution.

Sunscreens allow various degrees of outward visibility through different weaves and openesses. Sunscreens are available in 1%, 3%, and 5% openness meaning that they block 99%, 97%, and 95% respectively of the sun's rays from entering the interior, while allowing outward views.

Blackout

Our extensive selection of blackout or opaque fabrics block out the sun to provide room darkening. Blackout shades are appropriate in bedrooms to support better sleep, in media or theatre rooms, or anywhere else where room darkness is important. Add side and bottom channels to further block out sunlight and ensure complete room darkening.

Decorative

TRANSPARENT

Available in a variety of textures and styles – all which allow full outward visibility and a softened glow of natural light. Ideal for northern exposure windows and accompanying drapery.

TRANSLUCENT

From a subtle sheen to pronounced textures, translucent fabrics provide privacy and warmth with diffused sunlight. In the evening with the lights on, only silhouettes can be seen from the outside.

PRIVACY

There will be a slight amount of light visible, but no outward or inward visibility. Privacy shades are perfect for a bedroom, bathroom, or where your windows face the street or the neighbours.

Dual Shades

Designed to combine two fabrics in one system, each shade is controlled independently for precise control of light and privacy. Dual shades are ideal for situations where light control for glare prevention or outward visibility are desired during the day, while room darkening and privacy are needed at night.

Fabric Specifications: Banded and Sheer

Banded

Fabric	 Fire Retardant	 Green	Openness	Vane Size	Price Group
Gaze	•	•		2" / 3"	1
Bravado				3 1/8" / 4 3/4"	2
Nostalgia				1 7/8" / 3"	2
Twilight				3"	3

Sheer

Fabric	 Fire Retardant	 Green	Openness	Vane Size	Composition
Chic				3"	100% Polyester
Element				2"	100% Polyester



Fabric Specifications: Roller

Fabric	Light Penetration / Openness	Price Group	Composition	Fabric Width	 FR	 Green	 Anti Microbial	 Part of Set	 RR Rail road
Aspen	Privacy	Special	100% Polyester	118"		•			•
Azure	Privacy	4	100% Polyester	108"		•			
Bloom	Privacy	2	100% Polyester	82"		•			
Cambric	Privacy	1	100% Polyester	118"		•			
Crystalline	Privacy	4	100% Polyester	110"	•	•		•	
Crystalline Opaque	Blackout	5	100% Polyester	110"		•		•	
FronD	Transparent	3	50% Polyester, 50% Viscose	118"		•			
Gaia	Blackout	2	100% Polyester	118"		•			
Lunar	Blackout	1	100% Polyester	98"		•			•
Nature	Translucent	4	100% Polyester	108"		•			
Oasis	Privacy	4	100% Polyester	108"		•			
Paragon Screen 1%	Sunscreen 1%	2	25% Polyester, 75% PVC	118"	•	•	•		•
Paragon Screen 3%	Sunscreen 3%	2	25% Polyester, 75% PVC	118"	•	•	•		•
Paragon Screen 5%	Sunscreen 5%	2	25% Polyester, 75% PVC	118"	•	•	•		•
Peru Opaque	Blackout	2	100% Polyester	118"		•		•	
Peru Translucent	Translucent	1	100% Polyester	118"		•		•	
Radiance	Sunscreen 5%	4	70% PVC, 30% Polyester	108"	•	•			
RS 401	Sunscreen 1%	1	30% Polyester, 70% PVC	118"	•	•			•
RS 403	Sunscreen 3%	1	30% Polyester, 70% PVC	118"	•	•			•
RS 405	Sunscreen 5%	1	30% Polyester, 70% PVC	118"	•	•			•
RS Reflect	Sunscreen 3%	4	30% Polyester, 70% PVC	118"	•	•			•
Rustica Privacy	Privacy	1	100% Polyester	110"		•		•	
Rustica Opaque	Blackout	2	100% Polyester	110"		•		•	
Twinscreen 1%	Sunscreen 1%	3	25% Polyester, 75% PVC	118"	•	•	•		•
Twinscreen 3%	Sunscreen 3%	3	25% Polyester, 75% PVC	118"	•	•	•		•
Umbra	Blackout	4	100% Polyester	118"	•	•			
Veil	Transparent	1	100% Polyester	118"		•			
Vinyl 4 Ply	Blackout	1	3ply PVC, 1ply fiberglass	72"	•	•	•		
Vinyl 4 Ply Wide	Blackout	4	3ply PVC, 1ply fiberglass	120"	•	•	•		
Willow	Blackout	1	100% Polyester	102"		•			



Green Materials and Certifications

There is a move toward specifying and building healthy buildings and interiors that offer superior indoor air quality and energy efficiency. According to the Canadian Green Building Council, green building is the practice of increasing the efficiency of buildings and their use of energy, water and materials, and reducing the impact buildings have on the environment and human health. These goals are achieved through improving building design, construction, operation, maintenance and removal. Sustainable design focuses on the use of natural materials, reduced operating costs and improved occupant health as a result of improved indoor air quality. To be environmentally friendly, buildings are constructed from materials that reduce our impact on the environment.

Sun Glow continues to source quality fabrics that are environmentally friendly, improve energy efficiency and reduce operating costs. The use of automation with sun sensor controls, further enhances the energy efficiency of window treatments and increases their return on investment.

Sun Glow's customers have their own reasons for requiring "Green" fabrics and the specifications they must meet for their application. "Green" has a different definition for different suppliers of our fabric lines. Where you see the  icon on our fabric labels, it indicates that they have a green certificate. **Certificates can be found on our website.**



If a product is labeled as Oeko-Tex certified it is completely free from harmful chemicals and safe for human use. To attain Oeko-Tex Standard 100 certification, the fabric has been tested and certified to be free from harmful levels of more than 100 substances known to be harmful to human health.



The GreenGuard Certification indicates that the products emit little or no harmful by-products into indoor environments, thereby providing improved indoor air quality leading to healthier occupants.

A modern living room with large windows overlooking a city. In the foreground, a hand holds a white smart remote control. The room features a dark grey sofa with patterned pillows, a wooden coffee table with a bowl, and a dining area with a table and chairs. The text "AUTOMATION & CONTROLS" is overlaid on a green semi-transparent box.

AUTOMATION & CONTROLS



Operating or Control System


Operating System	Blind Types											
	Open Roll	PVC	Fabric	Aria	3" Fascia	4" Fascia	Curved Cassette			Compact Curved Cassette		Dual Shades
							Roller	Banded	Sheer	Roller	Banded	
Chain	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
Lift Assist Mechanisam (LAM)	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
Chainless												
• Chainless	✓			✓			✓			✓		
• Zero Gravity	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
Motors	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
Special Features												
• Fabric Wrapped		✓	✓			✓	✓	✓	✓	✓	✓	✓
Option							✓	✓	✓	✓	✓	
• Fully Assembled												



Shade Options


Chain Options

Chain Finishes



- Off Cut Shades standard is stainless steel chain, other options include: poly white and poly black.

Chain Safety Shield



- Adults can separate the channels to access the chain or cord if required
- Large channel openings to accommodate chain connectors and stop beads
- No mechanical parts and no malfunctioning
- Channels are available in different lengths for flexible configurations
- SG Safety Shield can be securely mounted to a wall or surface

Safety Tags and Labels

WARNING

STRANGULATION HAZARD — Young children can be strangled by cords. Immediately remove this product if a cord longer than 22 cm or a loop exceeding 44 cm around becomes accessible.

MISE EN GARDE

RISQUE D'ÉTRANGLEMENT — Les enfants en bas âge peuvent s'étrangler avec des cordes. Enlevez immédiatement ce produit si une corde mesurant plus de 22 cm devient accessible ou si le contour d'une boucle de plus de 44 cm devient accessible.




Roller Shades

Operating System: Zero Gravity


Zero Gravity




MIN. WIDTH




MAX. WIDTH
BANDED SHADES




Zero Gravity Mini




MIN. WIDTH



MAX. LENGTH
ROLLER SHADES



MAX. LENGTH
BANDED SHADES



Features & Benefits

- Recommended where a chainless system is desired and the blind height is within reach.
- Compatible with: Open Roll; Curved Cassette; 3" Square Fascia; 4" Square Fascia; Dual Square Fascia.
- Operate the shade by simply raising or lowering the shade with the bottom bar to any desired position.
- For Zero Gravity, foam surrounds the aluminum shaft internally to reduce noise as the spring operates
- Only available with Zero Gravity Bottom Bar for Banded Shades, and with Accubar and Wrapped Accubar for Roller Shades.



Roller Shades

Operating System: Chainless System

CEILING MOUNT



WALL MOUNT



Open Roll headrail shown

Features & Benefits


- Chainless design provides a clean look with no chains hanging.
- Can easily be operated by pulling the shade from the centre of the bottom bar to the desired height.
- Can easily be retracted by a slight pull of the bottom bar. The spring end helps to retract the shade while the speed reducer slows the shade down as it approaches the upper limit. Upper limit can be adjusted.
- Adjustable spring tension onsite using a 5mm allen key.
- Flexible mounting brackets can be ceiling or wall mounted. The position of the headrail can be altered for wall mounted applications.
- The spring loaded mechanism inside the mounting brackets makes installing the system easier.
- The white headrail, assembly brackets, and bracket covers provide a finished look from the interior.
- Compatible with Curved Cassette and Compact Curved Cassette.



LIGHT GAP MAY INCREASE when width to height ratio is 1:2.5 or greater.

Roller Shades

Operating System: LAM



Features & Benefits

- Recommended for large manually operated shades as it reduces the pull force required to operate the shade.
- Compatible with: Open Roll; Curved Cassette; 3" Square Fascia; 4" Square Fascia, Dual Square Fascia
- Helps to prevent unwanted stress on the Clutch and other shade components and increases the longevity of the entire shade system.
- Safe to install without the risk of unwinding as it maintains the specified tension from factory assembly right through to the completed installation
- Inner foam sheath surrounds the aluminum shaft internally to reduce noise as the spring operates.
- Outer sheath helps to dampen spring noise while operating inside the tube.
- Rubberized drive wheels run smoothly and quietly inside the tube.



Roller Shades

Side and Bottom Channels

Side and Bottom Channel Comptibility


Shade Type	System Type	U Side Channels	U Side & Bottom Channels	L Side Channels	L Side & Bottom Channels
Roller Shades	Chain, Motor	•	•	•	•
	Zero Gravity, Neo	•		•	
Dual Square Fascia	Chain, Motor	•	•	•	•
	Zero Gravity	•		•	
Aero	Aria Chainless System			•	
Banded Shades	Chain, Motor			•	•
	Zero Gravity			•	
Sheer Shades	Chain, Motor			•	•



Roller Shades

Side and Bottom U Channels

U Side and Bottom Channels



Features and Benefits

- Eliminates 99% of direct light. A small amount of indirect light may still be visible.
- Aluminum 2.5" side and bottom channel with brush.
- Recommended for inside mount applications.
- Available in anodized, white, and black.
- Maximum length of 16 feet.
- Recommended use with Fascia.

Notes


- Use of caulking or blackout tape (not provided) will be required where the side channels, bottom channel, and the valance connect with the window frame to eliminate light for the external perimeter of the shade.




Roller Shades

Room Darkening L Channels

L Side and Bottom Channels



L Side and Bottom Channels - Mounting



Features and Benefits


- Minimizes the light penetration that can be seen through the Roller Shade light gaps on either side.
- Works with a wide variety of Roller Shade bottom bars.
- Can be laterally mounted in the front or behind the bottom bar and fabric.
- Bottom channel reduces the Light Penetration at the bottom window ledge.
- Available in anodized, white, and black.
- Maximum length of 16 feet.



Roller Shades


Room Darkening L Channels

L Channels - Dimensions



Mounting Details

If mounting the L channel behind the fabric
a 1" [25.4mm] clearance is required between the shade system and glazing






Automate Your Roller Shades

For shades 16" and wider

Start here

For integration into building management systems and commercial networks, please contact the Sun Glow customer service team.



Select a motor

Motor Type	Order Code	Min. Shade Width	
Low Voltage (DC) 12-24V			
• Stealth Flex (2Nm)	STF	17 3/16"	✓
Roll Up 28 WireFree RTS (1.1Nm)	R28RTS	19"	✓
Sonesse 30 RTS (2Nm)	S30RTS	21"	✓
Sonesse Ultra 50 DC RTS 4Nm)	SU504DCRTS	37"	✓
Line Voltage (AC) 110-120V			
Sonesse 40 RTS (4Nm)	S404RTS	27"	✓
Sonesse 40 RTS (6Nm)	S406RTS	27"	✓
Sonesse 40 RTS (9Nm)	S409RTS	27"	✓
Sonesse 50 RTS (6Nm) Star	SSH506RTS	36"	✓
Sonesse 50 RTS (6Nm) Round	SRH506RTS	36"	✓
Sonesse 50 RTS (10Nm) Star	SSH510RTS	36"	✓
Sonesse 50 RTS (10Nm) Round	SRH510RTS	36"	✓
Sonesse Ultra 50 RTS (6Nm) Star	SUSH506RTS	39"	✓
Sonesse Ultra 50 RTS (6Nm) Round	SURH506RTS	39"	✓

Select a motor

Motor Type	Order Code	Min. Shade Width
Plug-In Rechargeable		
• Stealth Rechargeable (1.1 to 2Nm)	STR11 STR20	21 15/16"
• Stealth Wand (1.1Nm)	STW	22"
Sonesse 30 Wirefree RTS (Li-ion) (2Nm)	S30WFRTS	27"
Sonesse Ultra 30 Wirefree RTS (Li-ion) (2Nm)	SU30WFRTS	29"
Sonesse 40 Wirefree RTS (Li-ion) (3Nm)	S40WFRTS	30"
External Battery Pack		
• Stealth Flex (2Nm) with external Li-ion battery pack	STF	17 3/16"
Roll Up 28 WireFree RTS (1.1Nm) with external Li-ion battery pack	R28 RTS	19"

Select a control

 Stealth Automation items marked with •	 Stealth 1 Channel Remote (S1R)	 Stealth 16 Channel Remote (S16R)	 Stealth 16 Channel Pad (S16P)	 Stealth Bridge (STB) works with alexa, Hey Google, IFTTT
 Somfy	 Situio RTS Remote Pure 5 Channel (SRP5)	 Decoflex 5 Channel RTS Wall Switch (D5W)	 Smoove 1 RTS Wall Switch (S1W 1 channel) (S4W 4 channel)	 Somfy Tahoma (TRTSI) works with alexa, Hey Google, Philips Hue, IFTTT, Control 4, Savant, Crestron, URC, RTI, and ELAN

	Stealth Wand  STEALTH AUTOMATION	Stealth Rechargeable  STEALTH AUTOMATION		Stealth Flex  STEALTH AUTOMATION
Price	\$230	\$495	\$495	\$350
Order Code	STW	STR11	STR20	STF
Speeds (RPM)	20/25/30	20/25/30	20/24/28	20/24/28
Torque	1.1Nm	1.1Nm	2Nm	2Nm
Noise Level	≤ 32 dBA ISO3745	≤ 32 dBA ISO3745	≤ 30 dBA ISO3745	≤ 32 dBA ISO3745
Minimum Width	22"	21 15/16"	26 3/16"	17 3/16"
Power Type	5V DC	5V DC	5V DC	12V DC
Roller Shades	✓	✓	✓	✓
Interlude	✓	✓	✓	✓
Illusions	✓	✓	✓	✓
Control Options	Choose from Stealth Wand Control Options	Choose from Stealth Remote Control Options	Choose from Stealth Remote Control Options	Choose from Stealth Remote Control Options
Included	–	4.5" antenna 4.5" power cable (USB C)	4.5" antenna 4.5" power cable (USB C)	4.5" antenna 7" power cable
Power Options	Stealth Wand Group 1	Stealth Rechargeable Group 2	Stealth Rechargeable Group 2	Stealth Flex Group 3

	Roll Up 28 WireFree™ RTS somfy.	Sonesse Ultra 30 Wirefree RTS (Li-ion) somfy.	Sonesse Ultra 30 Wirefree Zigbee (Li-ion) somfy.	Sonesse 30 RTS somfy.	Sonesse 30 Zigbee somfy.
Price	\$575	\$890	\$1065	\$895	\$1095
Order Code	R28RTS	SU30WFRTS	SU30WFZB	S30RTS	S30ZB
Torque	1.1Nm	2Nm	2Nm	2Nm	2Nm
Noise Level	48–56 dBA ISO3741	≤ 38 dBA ISO3741	≤ 38 dBA ISO3741	44 dBA ISO3741	44 dBA ISO3741
Minimum Width	19"	29"	29"	22"	22"
Power Type	12V DC	12V DC	12V DC	24V DC	24V DC
Roller Shades	✓	✓	✓	✓	✓
Interlude	✓	✓	✓	✓	✓
Illusions	✓	✓	✓	✓	✓
					
				✓	✓
Control Options	Choose from RTS Control Options	Choose from RTS Control Options	Choose from Zigbee Control Options	Choose from RTS Control Options	Choose from Zigbee Control Options
Included	Antenna and 10" power cable with attached plug	Antenna and 7.5" power cable with attached plug	Antenna and 7.5" power cable with attached plug	Antenna and 9.8" power cable with attached Quick Connect	Antenna and 9.8" power cable with attached Quick Connect
Power Options	Battery DC Plug In Group 4	Battery Group 5	Battery Group 5	DC Plug In DC Power Panel Group 6	DC Plug In DC Power Panel Group 6

	Sonesse 30 RS485 (SDN) somfy.	Sonesse 40 Wirefree RTS (Li-ion) somfy.	Sonesse 40 RTS somfy.	Sonesse 40 WT (non-RTS) somfy.	Sonesse Ultra 50 DC (RTS) somfy.	Sonesse 50 RTS somfy.	
Price	\$1049	\$1365	\$1295	\$930	\$2095	\$1295	\$1595
Order Code	S30485	S40RTSL	S404RTS S406RTS S409RTS	S404WT S406WT S409WT	Square Head SU504DCRTS	Star Head SSH506RTS Round Head SRH506RTS	Star Head SSH510RTS Round Head SRH510RTS
Torque	2Nm	3Nm	4Nm 6Nm 9Nm	4Nm 6Nm 9Nm	4Nm	6Nm	10Nm
Noise Level	44 dBA	44 dBA	42 dBA 44 dBA 40 dBA	42 dBA 44 dBA 40 dBA	≤ 38 dBA	≤ 45 dBA	≤ 47 dBA
Minimum Width	23"	30"	27"	27"	37"	36"	36"
Power Type	24V DC	12V DC	120V AC / 60Hz	120V AC / 60Hz	24V DC	120V AC / 60Hz	120V AC / 60Hz
Roller Shades	✓	✓	✓	✓	✓	✓	✓
Interlude	✓	✓	✓	✓			
Illusions	✓	✓					
					✓		
	✓	✓	✓	✓		✓	✓
Control Options	Choose from SDN Control Options	Choose from RTS Control Options	Choose from RTS Control Options	Choose from Hardwired Control Options	Choose from RTS Control Options	Choose from RTS Control Options	Choose from RTS Control Options
Included	9.8" power and data cable with attached Quick Connect	Antenna and 7.5" power cable with attached plug	Fast Connector with 8.4' bare wire	Fast Connector with 8.4' bare wire	Antenna and 10" power cable with attached Quick Connect	9.8' bare wire	9.8' bare wire
Power Options	DC Plug In RS485 Power Panel Group 11	Battery Group 5	AC Plug In Group 7	AC Plug In Group 9	DC Plug In DC Power Panel Group 6	AC Plug In Group 8	AC Plug In Group 8

	Sonesse Ultra 50 DC RS485 (SDN) 	Sonesse Ultra 50 RTS 	Sonesse 50 WT (non RTS) 		Sonesse Ultra 50 RA-WT 	Sonesse 50 RS485 (SDN) 	Sonesse Ultra 50 RS485 (SDN) 
Price	\$2265	\$1495	\$1095	\$1095	\$1280	\$1525	\$1895
Order Code	Square Head SU504DC485	Star Head SUSH506RTS Round Head SURH506RTS	Star Head SSH506WT Round Head SRH506WT	Star Head SSH510WT Round Head SRH510WT	Star Head SUSH506WT Round Head SURH506WT	Star Head – 6Nm SSH506485 Star Head – 10Nm SSH510485	Star Head SUSH506485
Torque	4Nm	6Nm	6Nm	10Nm	6Nm	6Nm 10Nm	6Nm
Noise Level	≤ 38 dBA	≤ 38 dBA	≤ 45 dBA	≤ 47 dBA	≤ 38 dBA	≤ 45 dBA ≤ 47 dBA	≤ 38 dBA
Minimum Width	37"	39"	32"	36"	39"	32" 33"	39"
Power Type	24V DC	120V AC / 60Hz	120V AC / 60Hz	120V AC / 60Hz	120V AC / 60Hz	120V AC / 60Hz	120V AC / 60Hz
Roller Shades	✓	✓	✓	✓	✓	✓	✓
Interlude							
Illusions							
	✓						
		✓	✓	✓	✓	✓	✓
Control Options	Choose from SDN Control Options	Choose from RTS Control Options	Choose from Hardwired Control Options	Choose from Hardwired Control Options	Choose from Hardwired Control Options	Choose from SDN Control Options	Choose from SDN Control Options
Included	10" data and power cable with attached Quick Connect	9.8' bare wire	9.8' bare wire	9.8' bare wire	9.8' bare wire	9.8' bare wire, data cable sold separately	9.8' bare wire, data cable sold separately
Power Options	DC Plug In RS485 Power Panel Group 11	AC Plug In Group 8	AC Plug In Group 10	AC Plug In Group 10	AC Plug In Group 10	AC Plug In Group 8	AC Plug In Group 8

Power Options Group 1: Stealth Wand Motor

Power Sources (required, select one)	Order Code	# of Motors per Power Source	Price	
	24" Stealth Wand Controller	SW24	1	\$45
	36" Stealth Wand Controller	SW35	1	\$55
	59" Stealth Wand Controller	SW59	1	\$80
 5V USB type C Cable and USB Wall Plug Recharger (output 5V 2A) 9.8ft, White	USBC	Recharger	\$60	


Power Options Group 2: Stealth Rechargeable Motor

Power Sources (required, select one)		Order Code	# of Motors per Power Source	Price
 5V USB type C Cable and USB Wall Plug Recharger (output 5V 2A) 9.8ft, White		USBC	Recharger	\$60
	Stealth USB C Solar Panel Battery Recharger 6.4V/4.2W 12 in. USB C Cord Length, White	SSPC	1 Motor	\$200

Power Options Group 3: Stealth Flex Motors: Direct Power

Power Sources (required, select one)		Order Code	# of Motors per Power Source	Price
		SFPA	1 Motor	\$60
	5 Motor Power Kit	SGP5	5 Motors	\$2000
	10 Motor Power Kit	SGP10	10 Motors	\$3000
	15 Motor Power Kit	SGP15	15 Motors	\$4000
	20 Motor Power Kit	SGP20	20 Motors	\$4800

Stealth Flex Motors: Battery Power

Power Sources (required, select one)		Order Code	# of Motors per Power Source	Price
		SFEB	1 Motor	\$180
		USBC	Recharger	\$60
		SSPC	1 Motor	\$200

Power Options Group 4:

Roll Up 28 WireFree™ RTS

Power Sources (required, select one)	Order Code	# of Motors per Power Source	Price
 External Li-ion Battery Pack (Li-ion Plug-in Charger Required)	WF10	1 Motor	\$200
 (Li-ion) Plug-in Charger (compatible with Sonesse Ultra 30 Wirefree RTS (Li-ion), Sonesse 40 Wirefree RTS (Li-ion), and Roll Up 28 WireFree™ RTS)	WF11	Recharger	\$60
 Solar Recharge Kit: Includes: Solar panel, mounting brackets, battery clips, glass mount adhesive, and the external Li-ion battery pack	SPK	1 Motor	\$375
 12V DC Plug-in Transformer (no battery required)	WFT	1 Motor	\$180

Power Options Group 5:


Sonesse Ultra 30 Wirefree RTS (Li-ion) and Sonesse 40 Wirefree RTS (Li-ion)

Power Sources (required, select one)	Order Code	# of Motors per Power Source	Price
 (Li-ion) Plug-in Charger (compatible with Sonesse Ultra 30 Wirefree RTS (Li-ion), Sonesse 40 Wirefree RTS (Li-ion), and Roll Up 28 WireFree™ RTS)	WF11	Recharger	\$60
 Wirefree RTS (Li-ion) Charger Extension Cable, 94.5"	WFE94	N/A	\$25

Power Options Group 6: Sonesse 30 RTS and Sonesse Ultra 50 DC RTS

Power Sources (required, select one)	Order Code	# of Motors per Power Source	Price
 24V DC 1.66A Wall Mount Plug-in Transformer 5 ft. cable – (2 Conductor, 20 Gauge)	DCW	1 Motor	\$155
 5 Motor – Power/Control Distribution Enclosure Kit	PCD5	5 Motors	\$2000
10 Motor – Power/Control Distribution Enclosure Kit	PCD10	10 Motors	\$3000
15 Motor – Power/Control Distribution Enclosure Kit	PCD15	15 Motors	\$4000
20 Motor – Power/Control Distribution Enclosure Kit	PCD20	20 Motors	\$4800

Power Options Group 7: Sonesse 40 RTS

Power Sources (required, select one) Note: Use the Special Instructions Section of the order form to specify the Plug-In Cables.	Order Code	# of Motors per Power Source	Price
 Sonesse 40 RTS Motors come with an attached 1.6ft 3 conductor cable with a female Fast Connector (shown), and a male Fast Connector with 8.4ft of 3 conductor cable for direct AC wiring. For plug-in power instead of wiring, select a NEMA Plug option below.	–	1 Motor	incl.
 Fast Connector Extension Cable 3C SJTW with NEMA Plug – 1.4 FT	FC3N1.4	1 Motor	\$65
Fast Connector Extension Cable 3C SJTW with NEMA Plug – 4.4 FT	FC3N4.4	1 Motor	\$80
Fast Connector Extension Cable 3C SJTW with NEMA Plug – 8.4 FT	FC3N8.4	1 Motor	\$95
Fast Connector Extension Cable 3C SJTW with NEMA Plug – 10.4 FT	FC3N10.4	1 Motor	\$130
Fast Connector Extension Cable 3C SJTW with NEMA Plug – 18 FT	FC3N18	1 Motor	\$160
Fast Connector Extension Cable 3C SJTW with NEMA Plug – 24 FT	FC3N24	1 Motor	\$185
 Panel Mount (3 Conductor) Female Fast Connector For direct connection to J-Box	FC3PM	N/A	\$50

Power Options Group 8:

Sonesse 50 RTS, Sonesse Ultra 50 RTS,

Sonesse 50 RS485 (SDN), Sonesse Ultra 50 RS485 (SDN)

Power Sources (required, select one) Note: Use the Special Instructions Section of the order form to specify the Plug-In Cables.		Order Code	# of Motors per Power Source	Price
	1 1/2' Plug-In Cable	AC1.5	1 Motor	\$65
	6' Plug-In Cable	AC6	1 Motor	\$75
	10' Plug-In Cable	AC10	1 Motor	\$80
	18' Plug-In Cable	AC18	1 Motor	\$90
	24' Plug-In Cable	AC24	1 Motor	\$125
	10' Motor Cable	AC3B10	1 Motor	\$85
	24' Motor Cable	AC3B24	1 Motor	\$130
	3 Conductor Motor Cable	ACC3	N/A	\$4 per ft.

Additional Option	Order Code	# of Motors per Power Source	Price
 Quick Connect Male and Female End (Recommended)	QDISM	1 Motor	\$150


Power Options Group 9:

Sonesse 40 WT


Power Sources (required, select one) Note: Use the Special Instructions Section of the order form to specify the Plug-In Cables.		Order Code	# of Motors per Power Source	Price
	8.4' Plug-In Cable	FC4B8.4	1 Motor	\$95
	16.4' Plug-In Cable	FC4B16.4	1 Motor	\$150
	22.4' Plug-In Cable	FC4B22.4	1 Motor	\$170
	Fast Connector Extension Cable 4C SJTW – 4.4 FT	FC4B4.4	1 Motor	\$85

Power Options Group 10: Sonesse 50 RA WT, Sonesse 50 WT

Power Sources (optional) Note: Use the Special Instructions Section of the order form to specify the Plug-In Cables.	Order Code	# of Motors per Power Source	Price
10' 4 Conductor Motor Cable	AC4B10	1 Motor	\$105
24' 4 Conductor Motor Cable	AC4B24	1 Motor	\$200
4 Conductor Motor Cable (per foot)	ACC4	N/A	\$5 per ft.

Additional Option	Order Code	# of Motors per Power Source	Price
 Quick Connect Male and Female End (Recommended)	QDISM	1 Motor	\$150

Power Options Group 11: Sonesse 30 RS485 (SDN), Sonesse Ultra 50 DC RS485 (SDN)

Power Sources (required, select one) Note: Use the Special Instructions Section of the order form to specify the Plug-In Cables.	Order Code	# of Motors per Power Source	Price
 SDN Power Panel	SNDPP	10	\$5200
24V Bus Power Supply (DC)	AMIP5	N/A	\$400

Automation - Stealth

Control Options

Stealth Automation Remotes



Stealth 1 Channel Remote

White S1R \$90



Stealth 16 Channel Remote

White S16R \$125



Stealth 16 Channel Pad

White S16P \$125

Stealth Smart Home Bridge



Stealth Bridge

Stealth Zigbee to Wifi Control Bridge

Order Code: SBRI

\$225

- App interface that allows you to customize each shade being controlled.
- iOS and Android compatible.
- Wireless network connection (2.4Ghz, 5Ghz, 802.11b/n/g only), no need to plug in to a router.

The Stealth Bridge is compatible with the following smart home platforms



Automation - Somfy

RTS Control Options

Somfy RTS Remotes



**Situo RTS Remote
Pure 1 Channel**

White SRP1 \$195



**Situo RTS Remote
Pure 5 Channel**

White SRP5 \$255



**Situo 5 Variation
RTS Remote**

White SRV5 \$350



**Decoflex 1 Channel
RTS Wall Switch**

1 Chan. D1W \$400



**Decoflex 5 Channel
RTS Wall Switch**

5 Chan. D5W \$415



**Smooove 1/4 RTS
Wall Switch**

White S1W \$210
White S4W \$300



**Telis 1 Chronis
RTS**

Pure T1CP \$580



**Telis 16 Channel
RTS Remote**

Pure T16P \$710



**Thermo Sunis RTS
Sun Sensor**

White TSUS \$655

RTS Smart Hubs: TaHoma



TaHoma

TaHoma RTS Smartphone and Tablet Interface Order Code: TRTSI

\$800

- App interface that allows you to customize each shade being controlled.
- iOS and Android compatible.
- Wireless network connection (2.4Ghz, 5Ghz, 802.11b/n/g only), no need to plug in to a router.

TaHoma is compatible with the following smart home platforms



TaHoma Ethernet Adapter

Ethernet Adapter for TaHoma

Order Code: EAT

\$75

- The TaHoma® Ethernet Adaptor adds an Ethernet LAN port to TaHoma, providing fast and stable internet connection.

Automation - Somfy

Zigbee Control Options

Somfy Zigbee Remotes



**Ysia 1 Channel
Zigbee Remote**

White	YZR1	\$235
-------	------	-------



**Ysia 5 Channel
Zigbee Remote**

White	YZR5	\$310
-------	------	-------

Somfy Zigbee Smart Hub



TaHoma Switch (Zigbee & RTS Controller)

TaHoma RTS Smartphone and Tablet Interface Order Code: TZSH **\$725**

The TaHoma® switch brings connectivity and advanced control to Somfy-powered shades. This hub can control up to 50 Somfy Zigbee products and 40 channels of Radio Technology Somfy® (RTS) motorized products. The TaHoma® app enables users to setup and configure their products, and access their smart shading from anywhere.

- iOS and Android compatible.
- Wireless network connection (2.4Ghz, 5Ghz, 802.11b/n/g only), no need to plug in to a router. Ethernet adapter optional.
- Supports Zigbee 3.0



**TaHoma Switch
Ethernet Adapter**

White	TSEA	\$110
-------	------	-------



**Smart Plug – Zigbee
(Repeater)**

White	SPZR	\$175
-------	------	-------

Automation - Somfy

Control Options

RTS Interfaces and Repeaters



Z-Wave to RTS Interface

Beige ZRI \$1100



Universal RTS 16 Channel Interface

Beige URI \$1320



RTS Repeater

White RTSR \$580

Hardwired Control Options



Momentary Paddle Switch with Plate

1 motor PS1 \$75



Maintained Double Pole, Double Throw Paddle Switch

2 motor PS2 \$150

(IGC) 4N1 - 3 pre-set positions per motor (SDN 2.0 – RS485 Compatible)



DecoFlex Dry Contact Keypad (3 intermediate positions)

white IGC6W \$160



IGC RTS Receiver
Missing info for 1811492

3 motors IGCR \$590



Individual-Group Control (IGC/4N1)

4 motors IGC4 \$1450



Automation - Somfy

Control Options



Intelligent Automation

The following section provides a basic overview of Sun Glow's new intelligent automated shading systems. Selecting, configuring, and applying these systems requires knowledge that is above and beyond the skills required for implementing RTS and dry contact controlled systems.


The Somfy Digital Network (SDN 2.0) is the latest generation of bus-line enabled Intelligent Tubular Motors and Smart Switch Controls. The SDN components are integrated into a cost effective system designed to operate a wide range of end products over a standard RS-485 network compatible with the latest home automation systems.

Please contact the Sun Glow technical department for assistance when utilizing the following systems.

Contact Us

To ensure better service, Sun Glow has implemented the following centralized e-mail address that is monitored regularly by the Sun Glow team.

Technical inquiries: support@mysunglow.com



Automation - Somfy

SDN Control Options and Tools

Smart Switch Controllers (Programmable)



**6 Button –
DecoFlex Digital
Keypad**

White ID6W \$440



**8 Button –
DecoFlex Digital
Keypad**

White ID8W \$445



**RTS Receiver for
Stand-alone SDN**


White SMC7 \$605

Data Transfer Hubs and Connectors (RJ45 Connection Type)



**SDN Mini Data Hub
(3 Device Ports)**

Black MH3 \$380



**Data Hub (5 Device
Ports)**

White DH5 \$550



**SDN Room
Controller Hub (4
Motor Ports and 1
Device Port)**

Bone RH4 \$490



Data Panel

Black SDNDP \$6250



**ZbDMI —
ZigBee™ to Digital
Motor Interface**

White SMC1 \$875



**ZDMI – Z-Wave®
to Digital Motor
Interface**

White SMC5 \$1350



**Somfy Connect™
UAI Plus**

White UAI \$4000



**Somfy Connect™
LTI**

Grey LTI \$1625



**Somfy Connect™
BMS Interface**

Black BMS \$8300

Limit Setting Tools (Required to Program SDN-RS485 Motors)



**Low Voltage
RS485 Motor
Limit Setting Cable**

White 485LVC \$335



**RS485 Limit
Setting Tool
(Handheld)**

Yellow 485ST \$1460



**USB to RS485
Adapter Kit
(PC Connection)**

Black 485USB \$975




HEMS



Shade Options


Hem Options

Plain Hem




- 1.75" welded or sewn pocket with aluminum slat insert.
- Sides are left unsewn unless otherwise specified.

Accubar 2.1 & Wrapped Accubar 2.1



- Aluminum hem bar with contemporary clean look.
- The Accubar 2.1 can be wrapped with shade cloth on the interior facing side (not including Rustica Opaque or Vinyl Matte fabrics).



Accubar 2.0	End Cap
White	White
Anodized	Grey
Black	Black
Linen	Linen


A modern interior space featuring large windows with white roller shades. The shades are partially pulled down, allowing natural light to enter the room. The room has dark wood flooring and a black piano is visible on the right. The text "ROLLER SHADES" is overlaid in a white box in the bottom left corner.

ROLLER SHADES




Roller Shades


Summary




Open Roll




Fascia



Curved Cassettes



Square Cassette



PVC



Fabric

Timeless and versatile. Roller shades are great window coverings for any application. Completely block out light using opaque or blackout fabrics, reduce glare and provide UV protection while maintaining visibility using sunscreens; or choose from light filtering fabric options, privacy, translucent or transparent.

Operation Methods

Chain

- Chain is available white, black, and stainless steel.
- Safety Shield included as standard for all chain operated shades.
- Compatible with Lift Assist mechanisms (LAM).
- Raise or lower the shade by simply pulling the chain.

Motor

- See motorization pages [18-34](#).


Chainless

- Can easily be operated by pulling the shade from the centre of the bottom bar or blind pull to the desired height.
- Can easily be retracted by a slight pull of the bottom bar or blind pull.
- Cordless design ensures child safety.
- Only available with Curved Cassette and Compact Curved Cassette.

Zero Gravity

- A roller shade that always remains in perfect balance. Never heavy to lift.
- Cordless design ensures child safety.
- Compatible with single and dual shades.

Configurations



Shades can be configured to have multiple shades within a single piece of valance.

Compatible Systems:

- 3" Square Fascia
- 4" Square Fascia (shown)
- Compact Curved Cassette
- Curved Cassette
- Dual Square Fascia
- Compact Curved Cassette (Interlude)
- Curved Cassette (Interlude)
- Curved Cassette (Illusions)

Operation:


- Each shade can have drive on left or right
- Compatible with chain, motor, and Zero Gravity operation methods
- Neo chainless available in both Curved Cassettes

Limitations:

- maximum width of 180"
- maximum of 3 shades in a single valance
- each individual shade must meet limitations

Light Gaps

Light gaps will vary depending on the valance and operating system options selected.



Notes:

- Light gap will increase by at least 1/4" on the drive side of each shade.

Pricing

1. Price out each shade individually including the valance and control options.
2. Sum the prices of all individual shades.
3. If the total system width exceeds 100" an additional charge of \$200 will be added

Example:

3 in 1 shade is 120" wide.

Middle shade is to be Zero Gravity, the other 2 are to be chain operated.

If blind 1 = \$A for the shade + \$B for the valance = \$X


If blind 2 = \$C for the shade + \$D for the valance + \$E for Zero Gravity = \$Y

If blind 3 = \$F for the shade + \$G for the valance = \$Z

Total shade price would be \$X + \$Y + \$Z plus \$200 for being wider than 100"

Roller Shades

Open Roll



Features & Benefits


- Can be ceiling, wall or laterally mounted
- Bracket available in 1.6" (40mm) and 2" (55mm) to accommodate larger roll up diameters.
- Bracket covers in white, black, linen and grey provide a finished look for outside wall mounted applications.
- Spring loaded idle end, clutch hooks, and safety tab makes for a secure installation.
- Catches are made from UV stabilized, glass-filled nylon and contain 4 small square profiled springs. The result is a strong clutch that operates smoothly with minimal effort.



Roller Shades


Operating System: Open Roll

Clutch & bracket dimensions



Clutch Size	Bracket Size	A	B	C	D	E	F	G
1 1/2"	1 5/8"	2 1/2"	1 5/8"	1 1/8"	2 13/16"	2 1/2"	1 5/8"	2 13/16"
1 1/2"	2 1/4"	2 1/2"	2 1/8"	1 1/8"	3 3/8"	2 1/2"	1 5/8"	3 3/8"


Open Roll Mounting Specifications



⚠ LIGHT GAP IS NOT AFFECTED WHEN SHADE IS MOUNTED Laterally.

Clutch Size	Bracket Size	Clutch Diameter	H Measurement from wall to furthest screw	I Measurement from ceiling to furthest screw	J Measurement from ceiling to furthest screw
1 1/2"	1 5/8"	2"	2 3/16"	2 3/16"	7/16"
1 1/2"	2 1/4"	2"	2 9/16"	2 9/16"	7/16"

Roller Shades **Valance Options: Square Fascia**



Light Gaps		
	Idle End	Drive End
Without End Cap	1/2" $\pm$ 1/8"	3/4" $\pm$ 1/8"
With End Cap	5/8" $\pm$ 1/8"	7/8" $\pm$ 1/8"

Features & Benefits

- Conceals roller and components for a very clean and contemporary appearance.
- Compatible with chain, Zero Gravity and automated systems.
- Clip on chain diverter allows chain to hang away from the fascia and maintains a smooth feel during operation. Notching the fascia is not required.
- Simple and fast installation with universal brackets, fascia securely locks onto each bracket/guard and can be removed to allow access to the shade.
- Can be ceiling, wall or laterally mounted.
- Supports Multi-In-One, side-by-side shades in a single continuous fascia.
- Front profile of both the 3" and 4" fascia can be wrapped with fabric to match the roller shade.
- Commercial grade aluminum construction.
- Available in white, anodized, linen, and black with matching end caps. Bracket covers provide a finished look when outside mounting the fascia.




LIGHT GAP MAY INCREASE when width to height ratio is 1:2.5 or greater




Roller Shades

Valance Options: Square Fascia

Dimensions & Overview



Mounting Specifications




! LIGHT GAP IS NOT AFFECTED WHEN SHADE IS MOUNTED Laterally.

	A	B	C	D	E	F
3"	$1 \frac{3}{4}"$	1"	$\frac{9}{16}"$	$2 \frac{15}{16}"$	$\frac{1}{2}"$	$2 \frac{1}{4}"$
4"	$2 \frac{3}{16}"$	$1 \frac{1}{16}"$	$\frac{9}{16}"$	$3 \frac{9}{16}"$	$\frac{9}{16}"$	$2 \frac{3}{4}"$



Roller Shades

Valance Options: Curved Cassette



Light Gaps	
Idle End	Drive End
37/64" $\pm$ 1/8"	51/64" $\pm$ 1/8"

Features & Benefits

- Sleek look accommodates upscale commercial needs and affords greater residential appeal.
- Front of cassette can be wrapped with fabric to match the roller shade fabric.
- Fully assembled design makes for quick and easy installation.
- Snap on mounting brackets can be ceiling or wall mounted.
- Available in white, black, linen, brown and anodized with matching end caps.
- Reverse roll not available.





LIGHT GAP MAY INCREASE when width to height ratio is 1:2.5 or greater



Roller Shades

Valance Options: Curved Cassette



Dimensions & Overview



Brackets Required By Width

Shade Width	<48"	48"-72"	72"-108"	108"-144"	>144"
# of Brackets	2	3	4	5	6


Mounting Specifications





Roller Shades

Valance Options: Compact Curved Cassette



Features & Benefits



- Option for the front of the cassette to be wrapped with fabric to match the shade fabric.
- Completely assembled unit conceals the roller shade from the interior and exterior space.
- Multi in 1 (separate control) allow a group of shades to be driven individually under a single cassette.
- Snap on flexible mounting brackets can be ceiling or wall mounted.
- Available in white, anodized, linen, brown, and black with matching end caps.
- Reverse roll not available.



LIGHT GAP MAY INCREASE when width to height ratio is 1:2.5 or greater

Roller Shades Valance Options: Compact Curved Cassette

Dimensions & Overview




Brackets Required By Width


Shade Width	<60"	60"–96"	96"–120"	120"–148"	>148"
# of Brackets	2	3	4	5	6

Mounting Specifications

Ceiling Mount




Wall Mount





Roller Shades

Valance Options: Square Cassette



Features & Benefits

- Sleek look accommodates upscale commercial needs and affords greater residential appeal.
- Front of cassette can be wrapped with fabric to match the roller shade fabric.
- Shades can be regular or reverse roll.
- Completely assembled unit conceals the roller shade from the interior and exterior space.
- Supports Multi-In-One, side-by-side shades in a single continuous cassette.
- Compatible with chain, motors, Neo, and Zero Gravity
- Snap on mounting brackets can be ceiling or wall mounted.
- Available in white, anodized, linen, and black with matching end caps.
- Provides a finished look for outside wall mounted applications (colours match bottom bar end caps).





LIGHT GAP MAY INCREASE when width to height ratio is 1:2.5 or greater



Roller Shades

Valance Options: Square Cassette

Dimensions & Overview




Brackets Required By Width


Shade Width	<60"	60"-96"	96"-120"	120"-148"	>148"
# of Brackets	2	3	4	5	6

Mounting Specifications

Ceiling Mount



Wall Mount





Roller Shades

Valance Options: Fabric Valance



Features & Benefits


- Can be used with open roll Roller Shades.
- Standard is 6" (height) but custom sizes can be accommodated.
- Available with or without returns. Standard return is a 3.5" projection with a 3" wall bracket. 4", 5", and 6" wall brackets also available.
- Bottom of valance is sewn and includes an aluminum slat insert.
- Valance width cannot exceed the maximum roll width of fabric selected, as any seaming will likely be visible (see fabric specifications page).
- Railroading is an option for some fabrics but not all. For patterned fabric, railroading the valance will result in a different look than that of the shade.
- Valances can be mounted with Velcro aluminum track using wall or ceiling brackets or with plastic Velcro angle for ceiling mounting only.



LIGHT GAP MAY INCREASE when width to height ratio is 1:2.5 or greater


Mounting Options

Wall Mount Velcro Track



Brackets available in 3", 4", 5" and 6"
3 1/2" return standard


Ceiling Mount Velcro Angle





Roller Shades

Valance Options: PVC Valance




Features & Benefits

- Standard height is 3.5"
- Available with or without returns. Standard return is a 3.5" projection.
- Matching fabric insert.
- Can be ceiling or wall mounted.
- Minimum jamb depth is 1.5"
- Extended brackets are available.



LIGHT GAP MAY INCREASE when width to height ratio is 1:2.5 or greater

Mounting Options





Price Groups: Roller Shades

Price Group "Special"

Suggested retail price for open roll manual roller shade including mounting brackets, choice of chain and hem. Automation is available at an added cost. Any shades using a chain mechanism now include the Safety Shield.

Fabrics: Aspen

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																					U Side Channels L & R	L Side Channels L & R	Wire Guides L&R
Length	Width																						
	cm	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"		
91	36"	113	128	142	157	171	186	201	216	231	270	286	368	388	467	508	623	671	718	925	175	153	76
107	42"	117	133	147	163	178	193	208	246	262	279	296	378	399	479	521	637	828	886	946	198	173	78
122	48"	122	137	153	169	184	200	237	255	272	289	306	388	410	491	534	786	846	906	966	221	192	79
137	54"	127	142	159	175	190	228	245	263	280	298	316	399	421	503	661	802	864	925	987	244	212	81
152	60"	131	147	164	181	217	235	253	272	290	308	326	410	432	622	676	819	882	945	1006	268	231	83
168	66"	135	153	170	205	224	243	261	280	298	317	336	420	535	636	692	837	900	964	1027	291	251	84
183	72"	141	158	175	212	231	250	269	288	308	327	417	519	548	651	707	853	918	983	1097	314	271	86
198	78"	145	163	199	219	238	258	277	297	316	405	429	532	561	665	723	870	936	1050	1119	337	290	87
213	84"	149	167	205	225	245	265	285	305	393	417	441	544	574	680	739	887	1000	1070	1140	360	310	89
229	90"	153	190	211	231	252	273	293	314	404	429	453	557	587	694	754	904	1018	1090	1162	384	329	90
244	96"	159	195	217	237	259	280	301	389	415	440	465	570	601	709	770	964	1037	1110	1183	407	349	92
259	102"	163	201	223	244	266	288	373	399	425	452	477	583	614	723	823	982	1056	1131	1204	453	388	93
274	108"	167	207	229	251	273	295	383	410	436	463	489	595	627	737	839	1000	1075	1150	1226			
290	114"	189	212	235	257	280	365	393	420	447	474	501	608	640	788	856	1018	1094	1171	1247	500	428	96
305	120"	195	218	241	264	287	375	402	430	458	486	513	621	654	803	873	1035	1113	1191	1269			
320	126"	200	223	247	270	355	383	411	441	469	497	525	633	699	818	889	1053	1132	1211	1290	546	466	99
335	132"	205	229	253	277	363	393	422	451	480	509	538	645	712	833	905	1071	1150	1231	1312			
351	138"	209	234	259	284	372	401	431	461	490	520	550	690	726	849	922	1088	1169	1252	1333	592	506	102
366	144"	214	240	265	350	380	411	441	471	501	531	589	703	741	863	938	1106	1188	1271	1354			
U Bottom Channel		71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377			
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292			

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Curved Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Curved Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
Compact Curved Cassette	83	91	99	107	116	123	132	148	156	164	173	189	196	213	237	253	270	286	310
Compact Curved Cassette w fabric wrap	109	122	136	149	162	175	189	210	223	236	249	271	285	311	345	372	398	425	459
Square Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Square Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
3" Square Fascia	75	81	86	92	99	104	110	116	121	127	134	139	145	156	169	180	192	204	215
3" Square Fascia with fabric wrap	101	112	121	132	143	154	164	175	184	195	207	217	228	248	270	291	311	333	354
4" Square Fascia	100	107	116	123	132	139	148	156	164	172	179	188	195	211	228	244	260	276	292
4" Square Fascia with fabric wrap	125	138	151	163	176	189	202	214	227	240	252	266	278	303	329	355	379	405	431
Fabric Valance (inside mount)	83	97	111	125	139	154	168	183	197	211	226	240	254	283	311	340	369	397	426
Fabric Valance (outside mount)	104	120	136	152	168	184	200	225	241	257	273	298	314	346	387	419	451	483	524
PVC Valance	47	53	59	64	70	76	82	91	97	102	108	118	123	135	150	161	173	185	199
Open Roll Chainless	107	113	119	125	133	139	145	153	160	166	173	181	187	200	—	—	—	—	—

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Chainless	80
Zero Gravity	190
Spring Assist	120
Motorization	See motor section



Price Groups: Roller Shades

Price Group 1

Suggested retail price for open roll manual roller shade including mounting brackets, choice of chain and hem. Automation is available at an added cost. Any shades using a chain mechanism now include the Safety Shield.

Fabrics: Cambric, Lunar, Peru Translucent, RS 401, RS 403, RS 405, Rustica Privacy, Veil, Vinyl 4 Ply, Willow

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																				U Side Channels L & R	L Side Channels L & R	Wire Guides L&R	
Length	Width																						
	cm	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"		
91	36"	134	152	170	189	207	226	244	262	280	318	337	426	450	540	589	716	772	826	1016	175	153	76
107	42"	139	159	178	197	216	235	254	291	311	332	352	442	467	558	608	736	914	980	1046	198	173	78
122	48"	146	165	186	205	226	245	281	303	324	345	366	457	483	576	627	872	940	1008	1075	221	192	79
137	54"	152	173	193	214	235	271	293	315	337	358	381	473	499	593	745	896	966	1035	1139	244	212	81
152	60"	158	179	201	222	259	281	305	327	350	372	396	488	515	704	767	920	992	1096	1169	268	231	83
168	66"	164	187	208	245	268	292	316	339	362	386	410	503	612	724	789	944	1048	1125	1200	291	251	84
183	72"	170	193	216	254	279	303	327	351	375	400	488	597	631	745	812	998	1075	1152	1206	314	271	86
198	78"	176	200	238	263	288	313	338	363	388	476	505	615	649	765	859	1023	1102	1159	1236	337	290	87
213	84"	182	207	245	271	297	323	349	375	462	492	522	632	668	809	882	1048	1107	1187	1267	360	310	89
229	90"	189	227	254	280	307	334	360	387	477	508	539	650	686	830	905	1073	1133	1215	1296	384	329	90
244	96"	195	234	262	290	317	345	372	460	492	524	555	668	726	852	928	1076	1160	1243	1326	407	349	92
259	102"	201	241	270	298	327	355	441	474	507	540	572	706	745	872	932	1100	1186	1271	1357			
274	108"	207	249	278	307	336	366	454	488	522	555	606	724	764	893	955	1126	1212	1299	1386	453	388	93
290	114"	226	256	286	316	346	433	467	501	537	571	624	742	784	896	977	1150	1239	1327	1416			
305	120"	232	263	294	325	356	445	480	515	552	605	641	761	802	918	1000	1174	1265	1356	1446	500	428	96
320	126"	239	270	302	333	421	457	493	529	583	621	658	779	806	938	1022	1198	1291	1384	1477			
335	132"	245	278	310	343	432	469	506	544	599	637	675	797	825	958	1045	1223	1318	1412	1506	546	466	99
351	138"	252	285	319	352	443	481	519	575	614	654	693	800	843	979	1067	1247	1344	1440	1537			
366	144"	258	293	326	415	454	493	532	589	630	670	696	817	862	1000	1090	1271	1370	1468	1567	592	506	102
U Bottom Channel		71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377			
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292			

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Curved Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Curved Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
Compact Curved Cassette	83	91	99	107	116	123	132	148	156	164	173	189	196	213	237	253	270	286	310
Compact Curved Cassette w fabric wrap	109	122	136	149	162	175	189	210	223	236	249	271	285	311	345	372	398	425	459
Square Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Square Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
3" Square Fascia	75	81	86	92	99	104	110	116	121	127	134	139	145	156	169	180	192	204	215
3" Square Fascia with fabric wrap	101	112	121	132	143	154	164	175	184	195	207	217	228	248	270	291	311	333	354
4" Square Fascia	100	107	116	123	132	139	148	156	164	172	179	188	195	211	228	244	260	276	292
4" Square Fascia with fabric wrap	125	138	151	163	176	189	202	214	227	240	252	266	278	303	329	355	379	405	431
Fabric Valance (inside mount)	83	97	111	125	139	154	168	183	197	211	226	240	254	283	311	340	369	397	426
Fabric Valance (outside mount)	104	120	136	152	168	184	200	225	241	257	273	298	314	346	387	419	451	483	524
PVC Valance	47	53	59	64	70	76	82	91	97	102	108	118	123	135	150	161	173	185	199
Open Roll Chainless	107	113	119	125	133	139	145	153	160	166	173	181	187	200	—	—	—	—	—

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Chainless	80
Zero Gravity	190
Spring Assist	120
Motorization	See motor section



Price Groups: Roller Shades

Price Group 2

Suggested retail price for open roll manual roller shade including mounting brackets, choice of chain and hem. Automation is available at an added cost. Any shades using a chain mechanism now include the Safety Shield.

Fabrics: Bloom, Gaia, Paragon Screen 1%, Paragon Screen 3%, Paragon Screen 5%, Peru Opaque, Rustica Opaque

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																					U Side Channels L & R	L Side Channels L & R	Wire Guides L&R
Length	cm	Width																					
		in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"			
91	36"	139	159	178	199	219	238	258	279	298	356	378	472	499	596	650	785	847	909	1132	175	153	76
107	42"	146	166	188	208	230	250	272	327	350	373	396	492	520	619	675	813	1023	1097	1171	198	173	78
122	48"	153	175	196	219	240	262	317	342	366	391	415	512	541	642	700	981	1057	1134	1211	221	192	79
137	54"	159	183	206	228	251	306	332	357	383	408	434	531	562	665	847	1012	1092	1172	1352	244	212	81
152	60"	166	190	214	238	292	319	346	373	399	426	453	551	583	803	876	1045	1127	1306	1395	268	231	83
168	66"	173	198	223	277	305	333	360	388	416	444	471	571	705	830	906	1077	1255	1347	1438	291	251	84
183	72"	180	207	232	288	317	345	375	404	433	461	572	690	729	857	936	1198	1293	1387	1481	314	271	86
198	78"	188	214	269	299	329	359	389	419	449	559	594	713	753	884	1043	1233	1330	1427	1524	337	290	87
213	84"	195	222	279	310	341	372	404	435	543	579	615	736	778	984	1075	1268	1367	1468	1567	360	310	89
229	90"	201	257	289	321	353	386	417	450	562	600	638	759	802	1013	1107	1303	1405	1508	1611	384	329	90
244	96"	208	266	299	333	365	399	432	543	582	621	659	783	893	1042	1139	1337	1443	1548	1654	407	349	92
259	102"	215	274	309	343	378	412	521	561	601	641	681	870	920	1072	1171	1372	1480	1588	1696	453	388	93
274	108"	222	284	319	354	390	425	537	579	621	662	759	896	946	1102	1203	1407	1518	1629	1739			
290	114"	255	292	329	365	402	512	555	597	639	682	783	921	973	1131	1234	1442	1555	1669	1783	500	428	96
305	120"	263	301	339	376	414	527	571	615	659	759	807	946	999	1160	1267	1476	1593	1709	1826			
320	126"	271	310	349	387	497	543	588	633	733	782	831	970	1025	1189	1299	1511	1630	1750	1869	546	466	99
335	132"	279	319	358	399	512	558	604	651	753	804	855	995	1052	1218	1330	1546	1668	1790	1912			
351	138"	286	327	369	410	525	573	621	723	775	826	878	1021	1078	1247	1363	1581	1706	1830	1955	592	506	102
366	144"	294	337	379	491	540	589	638	742	795	849	902	1046	1105	1276	1395	1616	1743	1870	1998			
U Bottom Channel		71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377			
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292			

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Curved Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Curved Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
Compact Curved Cassette	83	91	99	107	116	123	132	148	156	164	173	189	196	213	237	253	270	286	310
Compact Curved Cassette w fabric wrap	109	122	136	149	162	175	189	210	223	236	249	271	285	311	345	372	398	425	459
Square Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Square Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
3" Square Fascia	75	81	86	92	99	104	110	116	121	127	134	139	145	156	169	180	192	204	215
3" Square Fascia with fabric wrap	101	112	121	132	143	154	164	175	184	195	207	217	228	248	270	291	311	333	354
4" Square Fascia	100	107	116	123	132	139	148	156	164	172	179	188	195	211	228	244	260	276	292
4" Square Fascia with fabric wrap	125	138	151	163	176	189	202	214	227	240	252	266	278	303	329	355	379	405	431
Fabric Valance (inside mount)	83	97	111	125	139	154	168	183	197	211	226	240	254	283	311	340	369	397	426
Fabric Valance (outside mount)	104	120	136	152	168	184	200	225	241	257	273	298	314	346	387	419	451	483	524
PVC Valance	47	53	59	64	70	76	82	91	97	102	108	118	123	135	150	161	173	185	199
Open Roll Chainless	107	113	119	125	133	139	145	153	160	166	173	181	187	200	—	—	—	—	—

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Chainless	80
Zero Gravity	190
Spring Assist	120
Motorization	See motor section



Price Groups: Roller Shades

Price Group 3

Suggested retail price for open roll manual roller shade including mounting brackets, choice of chain and hem. Automation is available at an added cost. Any shades using a chain mechanism now include the Safety Shield.

Fabrics: Frond, Twinscreen 1%, Twinscreen 3%

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																				U Side Channels L & R	L Side Channels L & R	Wire Guides L&R	
Length	Width																						
	cm	76	91	107	122	137	152	168	183	198	213	229	244	274	305	335	366	396	427				
	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"			
91	36"	144	165	187	208	229	250	272	293	315	375	399	495	523	622	680	818	882	947	1180	175	153	76
107	42"	152	174	196	219	242	264	286	345	369	394	420	517	547	649	708	850	1069	1148	1226	198	173	78
122	48"	159	183	207	230	254	277	336	362	388	415	441	539	571	675	737	1028	1109	1191	1272	221	192	79
137	54"	167	191	216	241	266	324	352	380	407	435	463	562	595	702	894	1065	1150	1234	1424	244	212	81
152	60"	175	201	226	252	310	339	369	397	426	455	483	585	619	850	928	1102	1189	1379	1474	268	231	83
168	66"	182	209	237	294	324	354	384	415	445	475	505	608	749	880	963	1139	1328	1426	1523	291	251	84
183	72"	189	218	246	306	338	369	400	432	464	495	615	735	777	911	996	1270	1371	1472	1573	314	271	86
198	78"	197	226	285	319	351	384	417	450	483	601	639	761	806	942	1113	1310	1414	1518	1622	337	290	87
213	84"	205	236	297	331	365	399	433	467	585	624	664	788	833	1052	1150	1350	1457	1564	1672	360	310	89
229	90"	213	273	308	343	379	414	449	484	607	648	689	814	862	1085	1186	1390	1500	1611	1721	384	329	90
244	96"	220	282	319	356	393	429	465	585	628	671	714	841	961	1119	1223	1430	1544	1657	1771	407	349	92
259	102"	228	292	330	368	405	444	562	606	651	694	739	937	991	1152	1259	1470	1587	1704	1821	453	388	93
274	108"	236	302	341	381	419	459	581	627	672	718	825	965	1021	1186	1296	1510	1630	1750	1870			
290	114"	271	312	352	393	433	553	600	647	694	741	852	994	1051	1219	1333	1550	1673	1797	1920			
305	120"	279	321	363	405	447	570	619	668	717	826	880	1023	1081	1252	1370	1589	1716	1843	1970	500	428	96
320	126"	288	331	375	417	537	587	638	688	797	852	906	1051	1112	1286	1406	1630	1759	1889	2020			
335	132"	297	341	386	429	553	605	657	708	821	877	933	1080	1142	1319	1443	1669	1803	1936	2069			
351	138"	305	351	396	442	569	622	675	787	845	903	960	1108	1172	1353	1480	1709	1846	1982	2119	592	506	102
366	144"	314	361	407	530	585	639	694	809	868	928	987	1137	1202	1386	1516	1749	1888	2028	2168			
U Bottom Channel		71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377			
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292			

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Curved Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Curved Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
Compact Curved Cassette	83	91	99	107	116	123	132	148	156	164	173	189	196	213	237	253	270	286	310
Compact Curved Cassette w fabric wrap	109	122	136	149	162	175	189	210	223	236	249	271	285	311	345	372	398	425	459
Square Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Square Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
3" Square Fascia	75	81	86	92	99	104	110	116	121	127	134	139	145	156	169	180	192	204	215
3" Square Fascia with fabric wrap	101	112	121	132	143	154	164	175	184	195	207	217	228	248	270	291	311	333	354
4" Square Fascia	100	107	116	123	132	139	148	156	164	172	179	188	195	211	228	244	260	276	292
4" Square Fascia with fabric wrap	125	138	151	163	176	189	202	214	227	240	252	266	278	303	329	355	379	405	431
Fabric Valance (inside mount)	83	97	111	125	139	154	168	183	197	211	226	240	254	283	311	340	369	397	426
Fabric Valance (outside mount)	104	120	136	152	168	184	200	225	241	257	273	298	314	346	387	419	451	483	524
PVC Valance	47	53	59	64	70	76	82	91	97	102	108	118	123	135	150	161	173	185	199
Open Roll Chainless	107	113	119	125	133	139	145	153	160	166	173	181	187	200	—	—	—	—	—

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.
[See the Multi-In-One page](#) for further details.

Operation Methods

Chainless	80
Zero Gravity	190
Spring Assist	120
Motorization	See motor section



Price Groups: Roller Shades

Price Group 4

Suggested retail price for open roll manual roller shade including mounting brackets, choice of chain and hem. Automation is available at an added cost. Any shades using a chain mechanism now include the Safety Shield.

Fabrics: Azure, Crystalline, Nature, Oasis, RS Reflect, Radiance, Umbra, Vinyl 4 Ply Wideshade

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																					U Side Channels L & R	L Side Channels L & R	Wire Guides L&R
Length	Width																						
	cm	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"			
91	36"	151	173	196	219	242	265	288	311	333	398	423	521	552	655	716	857	926	994	1239	175	153	76
107	42"	159	183	207	231	256	280	304	367	394	421	448	548	579	686	749	894	1126	1210	1293	198	173	78
122	48"	167	193	219	244	270	296	358	387	416	444	472	573	607	716	783	1086	1173	1259	1346	221	192	79
137	54"	176	203	230	256	284	347	377	407	437	467	497	599	634	747	812	1129	1219	1309	1511	244	212	81
152	60"	184	213	241	269	332	363	395	427	459	490	522	626	662	807	892	1172	1265	1468	1569	268	231	83
168	66"	193	222	252	315	347	381	414	447	480	513	546	651	804	942	1031	1214	1417	1522	1627	291	251	84
183	72"	201	232	263	328	363	398	432	467	501	537	666	790	837	978	1070	1358	1467	1576	1684	314	271	86
198	78"	209	242	306	342	378	415	451	487	523	652	694	821	868	1014	1198	1404	1516	1630	1742	337	290	87
213	84"	218	251	319	357	394	431	469	507	635	679	723	851	901	1134	1240	1450	1567	1683	1799	360	310	89
229	90"	226	291	331	370	410	448	488	527	660	706	752	882	933	1173	1283	1497	1617	1737	1857	384	329	90
244	96"	235	303	344	384	425	465	507	638	686	733	781	912	1042	1210	1325	1543	1666	1791	1915	407	349	92
259	102"	243	314	356	398	441	483	612	662	711	759	809	1018	1078	1249	1368	1589	1717	1845	1972	453	388	93
274	108"	251	325	369	412	456	500	633	685	735	787	905	1051	1112	1288	1410	1635	1767	1899	2030			
290	114"	291	335	381	426	471	603	655	708	761	813	936	1084	1147	1326	1453	1681	1816	1952	2087	500	428	96
305	120"	299	346	393	440	487	622	677	731	786	908	967	1117	1181	1365	1495	1727	1867	2006	2146			
320	126"	309	357	405	453	585	642	699	754	876	937	998	1150	1216	1403	1537	1774	1917	2060	2203	546	466	99
335	132"	318	368	418	468	603	662	720	778	904	966	1029	1182	1251	1442	1580	1820	1966	2114	2260			
351	138"	327	379	430	482	621	681	741	866	930	995	1060	1216	1286	1480	1622	1866	2017	2167	2318	592	506	102
366	144"	337	390	443	578	639	701	763	891	958	1024	1090	1248	1320	1519	1665	1912	2067	2221	2375			
U Bottom Channel		71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377			
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292			

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Curved Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Curved Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
Compact Curved Cassette	83	91	99	107	116	123	132	148	156	164	173	189	196	213	237	253	270	286	310
Compact Curved Cassette w fabric wrap	109	122	136	149	162	175	189	210	223	236	249	271	285	311	345	372	398	425	459
Square Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Square Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
3" Square Fascia	75	81	86	92	99	104	110	116	121	127	134	139	145	156	169	180	192	204	215
3" Square Fascia with fabric wrap	101	112	121	132	143	154	164	175	184	195	207	217	228	248	270	291	311	333	354
4" Square Fascia	100	107	116	123	132	139	148	156	164	172	179	188	195	211	228	244	260	276	292
4" Square Fascia with fabric wrap	125	138	151	163	176	189	202	214	227	240	252	266	278	303	329	355	379	405	431
Fabric Valance (inside mount)	83	97	111	125	139	154	168	183	197	211	226	240	254	283	311	340	369	397	426
Fabric Valance (outside mount)	104	120	136	152	168	184	200	225	241	257	273	298	314	346	387	419	451	483	524
PVC Valance	47	53	59	64	70	76	82	91	97	102	108	118	123	135	150	161	173	185	199
Open Roll Chainless	107	113	119	125	133	139	145	153	160	166	173	181	187	200	—	—	—	—	—

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Chainless	80
Zero Gravity	190
Spring Assist	120
Motorization	See motor section

Price Groups: Roller Shades

Price Group 5

Suggested retail price for open roll manual roller shade including mounting brackets, choice of chain and hem. Automation is available at an added cost. Any shades using a chain mechanism now include the Safety Shield.

Fabrics: Crystalline Opaque

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																					U Side Channels	L Side Channels	Wire Guides	
Length	Width																				L & R	L & R	L&R	
	cm	76	91	107	122	137	152	168	183	198	213	229	244	274	305	335	366	396	427					
	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"				
	91	36"	205	239	265	297	330	363	396	429	462	495	528	634	672	791	867	1025	1108	1192				1381
	107	42"	219	247	282	318	353	388	423	459	495	530	565	674	714	837	918	1081	1267	1362				1457
	122	48"	231	262	300	338	375	413	451	489	526	564	602	713	756	885	970	1233	1333	1433				1534
	137	54"	237	278	318	358	399	438	478	519	559	599	639	753	798	931	1106	1294	1399	1504				1734
	152	60"	251	293	336	378	421	464	506	549	591	633	676	792	839	1060	1162	1354	1465	1697				1817
	168	66"	264	309	354	399	443	489	533	579	623	669	713	831	955	1109	1217	1415	1649	1774				1900
	183	72"	277	324	371	419	466	513	561	609	656	703	813	944	1000	1160	1274	1590	1720	1852				2035
	198	78"	290	339	389	439	489	538	588	638	687	799	853	987	1046	1210	1432	1655	1792	1980				2120
	213	84"	303	355	407	459	512	564	615	668	780	837	893	1030	1091	1359	1492	1721	1913	2059				2205
229	90"	315	370	425	479	534	589	643	698	815	874	934	1072	1137	1413	1552	1786	1986	2138	2289				
244	96"	329	386	443	500	556	614	670	789	850	912	974	1114	1273	1468	1612	1902	2059	2217	2374				
259	102"	342	401	460	520	579	639	756	820	885	949	1013	1246	1321	1522	1716	1970	2133	2296	2458				
274	108"	355	417	478	540	602	663	786	853	920	987	1135	1293	1370	1576	1778	2037	2206	2374	2543				
290	114"	368	432	496	561	625	747	816	886	955	1024	1178	1338	1419	1674	1840	2104	2278	2453	2628				
305	120"	381	447	514	580	647	773	845	917	990	1144	1222	1384	1468	1730	1901	2172	2352	2532	2712				
320	126"	394	463	532	601	726	801	875	950	1103	1184	1264	1431	1558	1786	1963	2239	2425	2611	2797				
335	132"	407	478	549	621	750	827	905	982	1141	1224	1308	1477	1607	1842	2025	2307	2499	2690	2882				
351	138"	420	494	567	641	775	855	934	1093	1179	1264	1351	1564	1658	1898	2086	2374	2572	2769	2967				
366	144"	433	509	585	717	799	882	964	1127	1216	1306	1432	1611	1708	1954	2148	2441	2645	2848	3052				
U Bottom Channel		71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377				
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292				

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Curved Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Curved Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
Compact Curved Cassette	83	91	99	107	116	123	132	148	156	164	173	189	196	213	237	253	270	286	310
Compact Curved Cassette w fabric wrap	109	122	136	149	162	175	189	210	223	236	249	271	285	311	345	372	398	425	459
Square Cassette	104	115	126	138	149	160	172	192	203	214	226	247	258	280	312	335	357	379	412
Square Cassette with fabric wrap	129	145	162	178	195	211	228	255	271	287	304	331	347	380	424	457	490	524	566
3" Square Fascia	75	81	86	92	99	104	110	116	121	127	134	139	145	156	169	180	192	204	215
3" Square Fascia with fabric wrap	101	112	121	132	143	154	164	175	184	195	207	217	228	248	270	291	311	333	354
4" Square Fascia	100	107	116	123	132	139	148	156	164	172	179	188	195	211	228	244	260	276	292
4" Square Fascia with fabric wrap	125	138	151	163	176	189	202	214	227	240	252	266	278	303	329	355	379	405	431
Fabric Valance (inside mount)	83	97	111	125	139	154	168	183	197	211	226	240	254	283	311	340	369	397	426
Fabric Valance (outside mount)	104	120	136	152	168	184	200	225	241	257	273	298	314	346	387	419	451	483	524
PVC Valance	47	53	59	64	70	76	82	91	97	102	108	118	123	135	150	161	173	185	199
Open Roll Chainless	107	113	119	125	133	139	145	153	160	166	173	181	187	200	—	—	—	—	—

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Chainless	80
Zero Gravity	190
Spring Assist	120
Motorization	See motor section



AERO CHAINLESS SHADES




Aero Chainless System

Features and Benefits



Light Gaps	
Spring End	Reducer End
1/2" $\pm$ 1/8"	1/2" $\pm$ 1/8"

MIN. WIDTH





Features & Benefits

- Speed reducer/spring technology provides slow rise and adjustable upper limit on site.
- Curved valance provides a clean and finished look.
- Maximum shade size is 40" to 70" depending on fabric selection.
- Locking tab mechanism to make installation easier.
- Compatible with all Off Cut Shades roller shade fabrics.
- Fascia currently available in white and anodized only.
- Regular roll only.
- Ceiling or wall mount only.





Roller Shades

Cassette Options: Aero



Mounting Specifications





Price Groups: Aero Shades

Suggested retail price for chainless system in a white or anodized Curved Facia. No other colours or options available.

Price Group "Special"

Fabrics: Aspen

		Width									
Length	cm.	61	77	91	107	122	137	152	168	183	
	in.	24	30	36	42	48	54	60	66	72	
	91	36	159	180	200	221	241	262	282	303	322
	107	42	162	183	204	226	247	267	288	309	330
	122	48	165	187	208	230	251	273	295	316	338
	137	54	167	190	211	234	256	279	301	323	345
	152	60	170	193	215	239	262	285	307	330	353
	168	66	173	196	219	243	267	290	314	337	360
	183	72	175	199	223	248	271	296	320	344	368
	198	78	177	202	227	252	277	302	326	351	376
Length	213	84	180	206	230	256	282	307	333	358	383
	229	90	182	209	234	261	286	313	339	365	391
	244	96	185	211	238	265	292	319	345	372	398

Price Group 1: Fabrics: Cambric, Lunar, Peru Translucent, RS 401, RS 403, RS 405, Rustica Privacy, Veil, Vinyl 4 Ply, Willow

		Width									
Length	cm.	61	77	91	107	122	137	152	168	183	
	in.	24	30	36	42	48	54	60	66	72	
	91	36	186	211	236	261	285	311	336	361	386
	107	42	190	216	242	268	294	321	346	373	398
	122	48	194	221	248	275	303	330	357	384	412
	137	54	198	227	254	283	311	340	367	395	424
	152	60	202	231	261	290	320	349	377	407	436
	168	66	207	237	267	298	328	358	388	418	449
	183	72	211	242	273	304	336	367	398	430	461
	198	78	215	248	280	312	344	377	409	442	474
Length	213	84	219	252	285	320	353	386	419	453	487
	229	90	223	258	292	326	361	395	430	465	499
	244	96	228	263	299	334	370	405	440	476	511

Price Group 2

Bloom, Gaia, Paragon Screen 1%, Paragon Screen 3%, Paragon Screen 5%, Peru Opaque, Rustica Opaque

		Width									
Length	cm.	61	77	91	107	122	137	152	168	183	
	in.	24	30	36	42	48	54	60	66	72	
	91	36	196	225	252	280	307	336	363	391	419
	107	42	202	231	261	289	319	348	377	406	435
	122	48	208	238	268	300	330	360	391	421	452
	137	54	213	245	277	309	340	373	405	436	469
	152	60	219	252	285	319	352	385	418	452	486
	168	66	224	259	294	328	363	397	432	468	502
	183	72	230	266	302	338	375	411	447	483	519
	198	78	235	273	310	348	385	423	460	498	535
Length	213	84	241	280	319	358	396	435	474	513	552
	229	90	247	286	327	367	408	448	487	528	568
	244	96	252	294	335	377	418	460	502	543	585

Price Group 3

Fabrics: Frond, Twinscreen 1%, Twinscreen 3%

		Width									
Length	cm.	61	77	91	107	122	137	152	168	183	
	in.	24	30	36	42	48	54	60	66	72	
	91	36	204	233	264	293	322	352	382	412	441
	107	42	211	242	273	304	336	367	398	430	461
	122	48	217	249	283	316	348	381	414	447	480
	137	54	224	258	292	327	361	395	431	465	500
	152	60	230	267	303	339	375	411	447	483	519
	168	66	236	274	312	350	387	425	463	501	539
	183	72	243	283	322	361	400	440	479	519	558
	198	78	249	290	331	373	414	454	495	536	578
Length	213	84	256	299	341	383	426	469	511	554	597
	229	90	263	306	351	395	439	484	527	572	616
	244	96	268	315	360	406	452	498	543	590	635



Price Groups: Aero Shades

Suggested retail price for chainless system in a white or anodized Curved Facia. No other colours or options available.

Price Group 4: Fabrics: Azure, Crystalline, Nature, Oasis, RS Reflect, Radiance, Umbra, Vinyl 4 Ply Wideshade

		Width									
Length	cm.	61	77	91	107	122	137	152	168	183	
	in.	24	30	36	42	48	54	60	66	72	
	91	36	213	245	277	309	340	373	405	436	469
	107	42	221	254	288	322	356	390	424	457	491
	122	48	229	264	300	336	371	407	443	478	514
	137	54	236	273	311	349	386	424	462	499	537
	152	60	244	283	322	362	402	441	481	521	560
	168	66	251	293	334	376	417	458	500	542	582
	183	72	259	303	345	389	432	475	519	562	605
	198	78	267	312	357	402	448	492	538	583	628
	213	84	274	322	368	415	463	509	557	604	652
	229	90	282	331	379	429	478	526	576	625	674
	244	96	289	340	391	442	493	544	595	646	697

Price Group 5: Fabrics: Crystalline Opaque


		Width									
Length	cm.	61	77	91	107	122	137	152	168	183	
	in.	24	30	36	42	48	54	60	66	72	
	91	36	248	287	328	369	409	450	489	530	571
	107	42	259	303	346	389	432	476	520	563	606
	122	48	271	318	363	410	456	503	549	596	642
	137	54	283	332	381	431	480	529	579	628	677
	152	60	295	347	399	451	504	557	609	661	713
	168	66	306	362	417	472	527	583	638	693	749
	183	72	319	377	435	493	551	610	668	726	784
	198	78	330	392	452	514	575	636	698	759	820
	213	84	342	406	470	535	598	663	727	792	855
	229	90	354	421	488	556	623	689	757	824	892
	244	96	366	436	506	577	647	716	786	856	927



DUAL ROLLER SHADES

Dual Roller Shades

Dual Shade in Square Fascia



Light Gaps	
Idle End	Drive End
5/8" $\pm 1/8$ "	7/8" $\pm 1/8$ "

Features & Benefits

- Fascia available in white, anodized, and black.
- End Caps provide a finished look for outside wall mounted applications. Available in White and Grey.
- Mounting Brackets available in Grey.
- Front of cassette can be wrapped with fabric to match the roller shade.
- Compatible with chain (with Safety Shield), Zero Gravity, and motorized systems with wireless remotes, switches or other smart device. Supports mixed operation methods for front and rear shades.
- With Zero Gravity, shade is raised and lowered manually to the desired position with minimal effort. (No clutch and chain required)
- Can be ceiling, wall or laterally mounted.
- Shade drive can be installed on either mounting bracket. Refer to configurations for more details.
- Spring loaded idle end, clutch hooks and safety tab makes secure installation.
- SB Multi in 1: Allows a group of shades to be driven individually under a single cassette.




LIGHT GAP MAY INCREASE when width to height ratio is 1:2.5 or greater




Dual Roller Shades

Dual Shade in Square Fascia

Dimensions & Overview



Mounting Specifications




Dual Roller Shades

Dual Shade in Square Fascia


Roll Configurations

With Fascia Return




A


No Fascia Return




B



C




D




E

Other Details

Fabric Wrap



Magnetic End Cover



Price Groups: Dual Roller Shade

Price Group "Special"

Suggested retail price for manual roller shades includes fascia, mounting brackets, choice of chain and choice of hem.

For Dual Shades add two prices from the corresponding price groups, one for the front shade one for the back shade.

Any shades using a chain mechanism now include the Safety Shield. Remember to select operation option if other than chain.

Fabrics: Aspen

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																				U Side Channels L & R	L Side Channels L & R	Wire Guides L&R					
Length	Width																										
	cm	76	91	107	122	137	152	168	183	198	213	229	244	274	305	335	366	396	427								
	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"				168"				
	91	36"	178	201	224	247	270	293	316	340	362	410	435	525	553	649	707	838	903				967	1190	175	153	76
	107	42"	182	206	229	253	277	300	324	370	394	420	444	535	564	661	720	852	1060				1135	1211	198	173	78
	122	48"	187	211	235	259	283	306	353	378	404	429	454	545	575	673	733	1001	1078				1155	1232	221	192	79
	137	54"	192	216	241	265	289	335	360	387	412	439	465	556	586	685	860	1018	1096				1173	1252	244	212	81
	152	60"	196	221	246	271	316	342	368	396	422	448	474	567	597	804	875	1035	1114				1193	1272	268	231	83
	168	66"	200	226	252	295	322	349	377	404	430	458	484	577	700	818	890	1052	1132				1212	1292	291	251	84
	183	72"	206	231	257	302	329	357	384	412	440	467	566	676	713	833	906	1068	1150				1232	1363	314	271	86
	198	78"	210	236	281	309	337	365	392	420	448	546	578	689	726	847	922	1085	1168				1299	1384	337	290	87
	213	84"	214	241	287	315	344	372	401	429	524	558	590	701	739	862	938	1103	1231				1318	1406	360	310	89
	229	90"	218	264	293	322	351	379	408	438	536	569	602	714	752	876	953	1119	1250				1339	1427	384	329	90
	244	96"	224	269	299	328	358	387	416	513	547	580	614	727	766	891	968	1180	1269				1359	1449	407	349	92
	259	102"	228	275	305	334	364	395	488	523	557	592	626	740	779	905	1022	1198	1288				1379	1470	453	388	93
	274	108"	232	280	311	341	371	402	498	534	568	603	638	752	793	919	1038	1215	1307				1399	1491			
290	114"	254	285	317	347	379	472	508	544	579	614	650	765	805	970	1054	1233	1326	1419	1513							
305	120"	260	291	323	354	386	481	517	554	590	626	662	778	819	985	1071	1250	1345	1439	1534	500	428	96				
320	126"	265	296	329	360	454	490	527	564	601	638	674	790	864	1000	1088	1268	1363	1460	1556							
335	132"	270	302	335	367	462	499	537	575	612	650	687	802	877	1015	1104	1286	1382	1479	1577							
351	138"	274	308	341	374	471	508	546	585	622	661	699	847	891	1031	1120	1303	1401	1500	1599	592	506	102				
366	144"	279	314	347	440	478	517	556	595	633	672	737	860	906	1045	1136	1321	1420	1520	1620							
U Bottom Channel		71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377							
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292							

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Fabric Wrap Fascia	34	41	47	55	61	68	75	82	89	95	102	109	117	129	143	156	171	185	197

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190	per shade
Spring Assist	120	per shade
Motorization	See motor section	

Price Groups: Dual Roller Shade

Price Group 1

Suggested retail price for manual roller shades includes fascia, mounting brackets, choice of chain and choice of hem.

For Dual Shades add two prices from the corresponding price groups, one for the front shade one for the back shade.
Any shades using a chain mechanism now include the Safety Shield. Remember to select operation option if other than chain.

Fabrics: Cambric, Lunar, Peru Translucent, RS 401, RS 403, RS 405, Rustica Privacy, Veil, Vinyl 4 Ply, Willow

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																					U Side Channels L & R	L Side Channels L & R	Wire Guides L&R
Length	Width																						
	cm		76	91	107	122	137	152	168	183	198	213	229	244	274	305	335	366	396	427			
	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"			
91	36"	199	226	252	279	306	332	359	386	412	458	486	583	615	723	787	931	1004	1075	1281	175	153	76
107	42"	204	232	260	287	315	342	370	414	443	472	500	599	632	740	807	952	1146	1228	1311	198	173	78
122	48"	211	239	268	295	324	352	397	427	456	485	514	614	648	758	826	1087	1172	1256	1341	221	192	79
137	54"	217	246	275	304	334	378	408	439	469	499	529	630	664	776	943	1111	1198	1284	1404	244	212	81
152	60"	223	253	283	312	358	388	420	451	482	513	544	645	680	886	966	1136	1224	1344	1435	268	231	83
168	66"	229	260	290	335	367	398	431	463	494	527	558	660	777	906	988	1160	1280	1373	1465	291	251	84
183	72"	235	267	298	344	377	409	442	475	507	541	637	754	796	927	1010	1214	1307	1401	1472	314	271	86
198	78"	241	273	320	353	387	420	453	487	520	617	654	772	814	947	1058	1239	1334	1407	1502	337	290	87
213	84"	247	281	327	361	396	430	464	499	594	633	670	789	833	991	1081	1264	1339	1435	1532	360	310	89
229	90"	253	300	336	371	406	441	476	511	609	648	687	807	851	1012	1103	1288	1365	1463	1562	384	329	90
244	96"	260	308	344	380	415	451	488	583	624	664	704	825	891	1034	1126	1292	1392	1491	1592	407	349	92
259	102"	266	315	352	388	426	461	556	597	639	680	720	863	910	1054	1131	1316	1418	1520	1622	453	388	93
274	108"	272	322	360	397	435	473	569	611	654	696	755	881	929	1075	1153	1341	1444	1548	1652			
290	114"	291	330	368	406	445	539	582	625	669	711	772	899	949	1078	1176	1365	1471	1576	1682	500	428	96
305	120"	297	336	376	415	454	552	595	639	683	745	789	918	967	1100	1199	1389	1497	1604	1711			
320	126"	304	344	384	423	519	564	608	653	715	762	807	936	971	1120	1221	1413	1523	1632	1742	546	466	99
335	132"	310	351	392	433	530	576	621	668	731	777	824	954	990	1140	1243	1438	1550	1660	1772			
351	138"	317	359	401	442	542	588	634	699	746	794	841	957	1008	1161	1266	1462	1576	1689	1802	592	506	102
366	144"	323	366	408	505	553	600	647	713	761	810	845	974	1027	1182	1289	1487	1602	1717	1832			
U Bottom Channel		71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377			
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292			

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Fabric Wrap Fascia	34	41	47	55	61	68	75	82	89	95	102	109	117	129	143	156	171	185	197

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190	per shade
Spring Assist	120	per shade
Motorization	See motor section	

Price Groups: Dual Roller Shade

Price Group 2

Suggested retail price for manual roller shades includes fascia, mounting brackets, choice of chain and choice of hem.

For Dual Shades add two prices from the corresponding price groups, one for the front shade one for the back shade.
Any shades using a chain mechanism now include the Safety Shield. Remember to select operation option if other than chain.

Bloom, Gaia, Paragon Screen 1%, Paragon Screen 3%, Paragon Screen 5%, Peru Opaque, Rustica Opaque

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																					U Side Channels L & R	L Side Channels L & R	Wire Guides L&R
Length	Width																						
	cm	76	91	107	122	137	152	168	183	198	213	229	244	274	305	335	366	396	427				
	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"			
91	36"	204	232	260	289	317	345	373	402	430	496	526	629	664	778	848	1000	1079	1157	1397	175	153	76
107	42"	211	240	270	298	328	357	387	450	482	513	544	649	685	801	874	1028	1255	1346	1437	198	173	78
122	48"	218	248	278	309	339	369	432	466	498	531	563	669	706	824	899	1196	1289	1383	1477	221	192	79
137	54"	224	256	288	318	350	413	447	481	515	548	582	688	727	847	1046	1228	1324	1420	1617	244	212	81
152	60"	231	264	296	328	391	426	462	497	531	566	601	708	748	985	1075	1260	1359	1555	1660	268	231	83
168	66"	238	272	305	367	404	439	475	512	548	584	620	728	870	1012	1105	1292	1487	1595	1703	291	251	84
183	72"	245	280	314	378	416	452	490	528	565	602	720	847	894	1039	1135	1414	1525	1635	1747	314	271	86
198	78"	253	288	351	389	428	466	504	543	581	699	742	870	919	1066	1242	1448	1562	1676	1790	337	290	87
213	84"	260	296	361	400	440	479	519	558	675	720	764	893	943	1166	1274	1483	1599	1716	1833	360	310	89
229	90"	266	331	371	412	452	492	533	574	694	740	786	916	967	1195	1305	1518	1637	1756	1876	384	329	90
244	96"	273	339	381	423	464	505	547	666	714	761	808	940	1058	1224	1338	1553	1675	1797	1919	407	349	92
259	102"	280	348	391	433	477	519	636	685	733	782	830	1027	1085	1254	1370	1588	1712	1837	1962	453	388	93
274	108"	287	357	401	444	489	532	653	703	752	802	908	1053	1111	1284	1401	1622	1750	1877	2005			
290	114"	320	366	411	455	501	618	670	721	771	823	932	1078	1138	1313	1433	1657	1787	1917	2049	500	428	96
305	120"	328	374	421	466	513	634	686	739	791	900	956	1102	1164	1342	1466	1691	1825	1958	2091			
320	126"	336	384	431	478	596	649	703	757	865	922	979	1127	1190	1371	1497	1727	1862	1998	2134	546	466	99
335	132"	344	392	440	489	610	665	720	775	885	944	1003	1152	1217	1400	1529	1761	1900	2038	2177			
351	138"	351	401	451	500	624	680	737	847	907	967	1026	1178	1243	1429	1562	1796	1938	2079	2221	592	506	102
366	144"	359	410	461	581	639	696	753	866	927	989	1050	1203	1270	1458	1593	1831	1975	2119	2264			
U Bottom Channel		71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377			
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292			

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Fabric Wrap Fascia	34	41	47	55	61	68	75	82	89	95	102	109	117	129	143	156	171	185	197

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190	per shade
Spring Assist	120	per shade
Motorization	See motor section	



Price Groups: Dual Roller Shade

Price Group 3

Suggested retail price for manual roller shades includes fascia, mounting brackets, choice of chain and choice of hem.

For Dual Shades add two prices from the corresponding price groups, one for the front shade one for the back shade.

Any shades using a chain mechanism now include the Safety Shield. Remember to select operation option if other than chain.

Fabrics: Frond, Twinscreen 1%, Twinscreen 3%

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																					U Side Channels	L Side Channels	Wire Guides	
	cm	Width																			L & R	L & R	L&R	
		in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"				168"
Length	91	36"	209	239	269	298	328	357	387	417	446	515	547	652	688	804	878	1033	1114	1196	1445	175	153	76
	107	42"	217	248	278	309	340	371	402	468	501	535	568	674	712	831	907	1065	1301	1396	1491	198	173	78
	122	48"	224	256	289	320	352	384	451	486	520	555	590	696	736	858	936	1243	1341	1439	1538	221	192	79
	137	54"	232	265	298	331	364	431	468	504	539	575	611	719	760	884	1093	1280	1381	1482	1689	244	212	81
	152	60"	240	274	308	342	409	446	484	521	558	596	632	742	784	1032	1127	1317	1421	1628	1739	268	231	83
	168	66"	247	283	319	384	423	461	499	539	577	615	653	765	914	1062	1161	1355	1560	1674	1789	291	251	84
	183	72"	254	291	328	396	436	476	516	556	596	636	763	892	943	1093	1195	1486	1603	1720	1839	314	271	86
	198	78"	262	300	367	409	450	491	532	574	614	741	788	918	971	1124	1311	1525	1646	1767	1887	337	290	87
	213	84"	270	309	379	421	464	505	548	591	716	764	813	945	998	1234	1348	1565	1689	1813	1937	360	310	89
	229	90"	278	346	390	433	478	521	564	608	739	788	838	971	1027	1267	1385	1605	1732	1859	1987	384	329	90
	244	96"	285	356	401	446	491	535	581	709	760	812	862	998	1126	1301	1422	1645	1776	1905	2037	407	349	92
	259	102"	293	366	412	458	504	551	678	730	782	835	887	1094	1156	1334	1458	1685	1819	1953	2086	453	388	93
	274	108"	301	375	423	471	518	565	696	750	804	859	974	1122	1186	1368	1495	1725	1861	1999	2136	500	428	96
	290	114"	336	386	434	483	532	660	715	771	826	882	1000	1151	1216	1401	1532	1765	1905	2045	2186	546	466	99
305	120"	344	395	445	495	545	677	734	792	848	967	1028	1180	1246	1434	1569	1805	1948	2091	2235	592	506	102	
320	126"	353	404	457	508	636	694	753	812	929	992	1055	1208	1277	1468	1605	1845	1991	2138	2285				
335	132"	362	415	468	520	652	712	772	832	953	1017	1081	1237	1307	1501	1641	1884	2035	2184	2335				
351	138"	370	424	478	532	668	729	791	911	977	1043	1109	1265	1337	1535	1678	1925	2077	2230	2385				
366	144"	379	434	489	620	683	746	810	933	1000	1068	1135	1294	1367	1568	1715	1964	2120	2277	2433				
U Bottom Channel			71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377			
L Bottom Channel			57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292			

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Fabric Wrap Fascia	34	41	47	55	61	68	75	82	89	95	102	109	117	129	143	156	171	185	197

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190	per shade
Spring Assist	120	per shade
Motorization	See motor section	

Price Groups: Dual Roller Shade

Price Group 4

Suggested retail price for manual roller shades includes fascia, mounting brackets, choice of chain and choice of hem.

For Dual Shades add two prices from the corresponding price groups, one for the front shade one for the back shade.

Any shades using a chain mechanism now include the Safety Shield. Remember to select operation option if other than chain.

Fabrics: Azure, Crystalline, Nature, Oasis, RS Reflect, Radiance, Umbra, Vinyl 4 Ply Wideshade

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																				U Side Channels	L Side Channels	Wire Guides
Length	Width																			L & R	L & R	L&R
	cm	76	91	107	122	137	152	168	183	198	213	229	244	274	305	335	366	396	427			
	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"		
	91	36"	216	247	278	310	340	372	403	435	465	538	572	678	717	837	914	1073	1158	1242	1504	
	107	42"	224	257	289	322	355	387	420	491	526	561	597	705	745	868	948	1109	1358	1458	1558	
	122	48"	232	266	301	334	369	402	474	510	548	584	621	730	772	898	981	1301	1405	1508	1611	
	137	54"	241	277	312	346	382	454	492	531	569	608	646	756	799	929	1151	1344	1451	1557	1777	
	152	60"	249	286	323	359	430	470	510	551	590	631	670	783	827	1089	1190	1387	1497	1716	1834	
	168	66"	258	296	334	405	446	487	529	570	612	654	694	808	969	1124	1230	1429	1649	1770	1893	
	183	72"	266	306	345	418	461	504	547	591	633	677	814	947	1002	1160	1268	1573	1699	1824	1950	
	198	78"	274	315	388	432	477	522	566	611	655	793	843	978	1033	1196	1397	1619	1748	1878	2007	
	213	84"	283	325	401	447	493	538	584	630	767	819	872	1008	1066	1316	1439	1666	1799	1931	2065	
	229	90"	291	365	413	460	508	555	603	651	792	847	900	1039	1098	1355	1482	1712	1849	1985	2122	
	244	96"	300	376	426	474	524	572	622	762	818	873	929	1069	1207	1392	1524	1758	1898	2039	2181	
	259	102"	308	387	438	488	539	589	727	786	842	900	958	1175	1243	1431	1567	1805	1949	2093	2238	
	274	108"	316	398	451	502	555	606	749	809	867	927	1054	1208	1277	1470	1609	1850	1999	2147	2295	
	290	114"	356	409	463	516	570	709	770	832	893	954	1085	1240	1312	1508	1652	1896	2048	2200	2353	
	305	120"	364	420	475	530	586	729	792	855	918	1048	1115	1274	1346	1547	1694	1943	2099	2254	2411	
	320	126"	374	431	488	544	684	749	814	878	1008	1077	1146	1306	1381	1585	1736	1989	2149	2308	2469	
	335	132"	383	441	500	558	702	768	835	902	1035	1106	1177	1339	1416	1624	1779	2035	2198	2362	2526	
351	138"	392	452	512	572	720	788	857	990	1062	1136	1208	1372	1451	1663	1821	2081	2249	2416	2583		
366	144"	402	464	525	668	738	808	878	1014	1089	1165	1239	1405	1485	1701	1863	2128	2299	2470	2641		
U Bottom Channel		71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377		
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292		

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Fabric Wrap Fascia	34	41	47	55	61	68	75	82	89	95	102	109	117	129	143	156	171	185	197

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190	per shade
Spring Assist	120	per shade
Motorization	See motor section	

Price Groups: Dual Roller Shade

Price Group 5

Suggested retail price for manual roller shades includes fascia, mounting brackets, choice of chain and choice of hem.

For Dual Shades add two prices from the corresponding price groups, one for the front shade one for the back shade.
Any shades using a chain mechanism now include the Safety Shield. Remember to select operation option if other than chain.

Fabrics: Crystalline Opaque

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																					U Side Channels L & R	L Side Channels L & R	Wire Guides L&R
Length	Width																						
	cm	76	91	107	122	137	152	168	183	198	213	229	244	274	305	335	366	396	427				
	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"			
91	36"	270	313	347	388	429	470	511	553	594	636	676	791	837	973	1065	1241	1340	1440	1647	175	153	76
107	42"	284	320	364	408	452	495	539	583	626	670	713	831	879	1020	1117	1296	1499	1611	1723	198	173	78
122	48"	296	336	382	428	474	520	566	612	658	704	750	870	921	1067	1168	1448	1565	1682	1799	221	192	79
137	54"	302	351	400	448	497	545	594	642	691	740	788	910	963	1113	1305	1509	1631	1753	2000	244	212	81
152	60"	316	367	418	468	520	570	621	672	723	774	825	949	1004	1242	1360	1570	1697	1946	2083	268	231	83
168	66"	329	382	436	489	542	595	648	702	755	809	862	988	1120	1291	1416	1631	1881	2023	2165	291	251	84
183	72"	342	398	453	509	565	620	676	732	788	843	961	1101	1165	1342	1473	1805	1952	2100	2301	314	271	86
198	78"	355	413	471	529	587	645	703	762	819	939	1001	1144	1211	1392	1630	1871	2023	2229	2385	337	290	87
213	84"	368	428	489	550	610	671	731	792	912	977	1042	1186	1256	1541	1690	1937	2145	2308	2470	360	310	89
229	90"	380	444	507	569	633	696	758	822	947	1015	1082	1228	1302	1595	1750	2002	2218	2386	2554	384	329	90
244	96"	394	459	525	590	655	720	786	912	982	1052	1122	1271	1438	1650	1810	2117	2291	2465	2639	407	349	92
259	102"	407	475	542	610	678	745	871	944	1016	1089	1162	1403	1486	1704	1915	2185	2365	2544	2724	453	388	93
274	108"	420	490	560	630	700	770	901	977	1052	1127	1283	1450	1535	1759	1977	2252	2438	2623	2809			
290	114"	433	506	578	651	724	853	931	1009	1087	1165	1326	1495	1584	1856	2038	2320	2510	2702	2894			
305	120"	446	521	596	670	746	880	960	1041	1122	1284	1370	1541	1633	1912	2100	2387	2584	2781	2978	500	428	96
320	126"	459	536	614	691	825	907	990	1074	1235	1324	1413	1588	1723	1969	2162	2454	2657	2860	3063			
335	132"	472	552	632	712	849	934	1020	1106	1273	1364	1457	1634	1772	2024	2223	2522	2731	2938	3148			
351	138"	485	567	650	731	874	961	1050	1217	1311	1405	1499	1721	1823	2080	2285	2589	2804	3017	3232	546	466	99
366	144"	498	583	668	807	898	989	1080	1251	1348	1446	1580	1768	1873	2136	2347	2657	2876	3096	3317			
U Bottom Channel		71	84	96	109	122	135	148	160	173	186	199	211	224	250	275	301	326	352	377			
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	214	233	253	273	292			

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"	156"	168"
Fabric Wrap Fascia	34	41	47	55	61	68	75	82	89	95	102	109	117	129	143	156	171	185	197

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190	per shade
Spring Assist	120	per shade
Motorization	See motor section	




**FIXED
SHADES**

Fixed Shades

Features

Fixed Shades are affordable, static, non-operable shades that do not raise or lower. They are ideal for windows where that require a shade in the closed position.

Mounting: Velcro Panel



A plastic L angles fitted with a strip of velcro hook are affixed around the inside of the window frame. A panel of fabric cut to the window size and trimmed with velcro loop ribbon is then stretched taught across the window opening.

Notes:

A minimum depth of 1" (2.5cm) is necessary for installation.



Fixed Shades

Price Groups

Price Group “Special”

Aspen

Length	Width							
	cm.	61	91	122	152	183	213	244
	in.	24"	36"	48"	60"	72"	84"	96"
91	36	159	198	238	278	317	357	410
122	48	164	207	249	291	347	389	432
152	60	170	215	260	319	364	409	454
183	72	175	223	285	332	380	428	476
213	84	181	231	296	346	397	475	525
244	96	186	253	307	360	413	494	547
274	108	192	262	317	373	457	513	603
305	120	197	270	328	415	473	567	625
335	132	203	278	339	428	490	586	647
366	144	222	286	350	442	541	605	669

Price Group 1

Cambric, Lunar, Peru Translucent, RS 401, RS 403, RS 405,
Rustica Privacy, Veil, Vinyl 4 Ply, Willow

Length	Width							
	cm.	61	91	122	152	183	213	244
	in.	24"	36"	48"	60"	72"	84"	96"
91	36	168	212	256	300	343	387	445
122	48	176	224	272	321	383	431	479
152	60	185	237	289	355	408	460	512
183	72	193	250	320	376	433	490	546
213	84	201	262	337	398	458	547	607
244	96	210	289	354	419	484	576	641
274	108	218	301	370	440	536	606	709
305	120	227	314	387	488	562	669	743
335	132	235	326	404	509	587	699	777
366	144	257	339	421	530	647	728	810

Price Group 2

Bloom, Gaia, Paragon Screen 1%, Paragon Screen 3%,
Paragon Screen 5%, Peru Opaque, Rustica Opaque

Length	Width							
	cm.	61	91	122	152	183	213	244
	in.	24"	36"	48"	60"	72"	84"	96"
91	36	176	225	273	321	369	417	479
122	48	188	241	295	349	417	471	524
152	60	199	258	318	391	451	510	570
183	72	210	275	354	419	484	550	615
213	84	221	292	377	447	518	617	687
244	96	233	323	399	476	552	656	732
274	108	244	340	422	504	613	695	812
305	120	255	357	444	560	647	769	857
335	132	267	374	467	588	681	809	902
366	144	292	391	489	616	749	848	947

Price Group 3

Fronde, Twinscreen 1%, Twinscreen 3%

Length	Width							
	cm.	61	91	122	152	183	213	244
	in.	24"	36"	48"	60"	72"	84"	96"
91	36	179	229	278	328	377	427	490
122	48	191	247	303	358	428	484	539
152	60	204	265	327	403	464	526	588
183	72	216	284	365	433	501	569	637
213	84	228	302	390	464	538	639	713
244	96	240	334	414	494	574	682	762
274	108	252	352	438	525	638	725	845
305	120	264	371	463	583	675	802	894
335	132	277	389	487	613	712	844	943
366	144	303	407	512	644	783	887	992

Price Group 4

Azure, Crystalline, Nature, Oasis, RS Reflect,
Radiance, Umbra, Vinyl 4 Ply Wideshade

Length	Width							
	cm.	61	91	122	152	183	213	244
	in.	24"	36"	48"	60"	72"	84"	96"
91	36	190	246	301	356	411	467	536
122	48	206	270	333	396	473	536	600
152	60	222	294	365	450	521	592	664
183	72	238	318	411	490	569	648	727
213	84	254	342	443	530	617	732	819
244	96	270	379	474	570	665	788	883
274	108	286	403	506	610	740	844	981
305	120	302	427	538	677	788	934	1045
335	132	318	451	570	717	836	990	1109
366	144	348	475	602	757	919	1046	1173

Price Group 5

Crystalline Opaque



Length	Width							
	cm.	61	91	122	152	183	213	244
	in.	24"	36"	48"	60"	72"	84"	96"
91	36	216	285	353	421	490	558	640
122	48	241	322	402	483	577	658	738
152	60	266	359	452	558	651	744	837
183	72	290	396	515	620	725	830	936
213	84	315	433	564	682	799	944	1062
244	96	340	483	613	743	873	1030	1160
274	108	364	520	663	805	975	1117	1293
305	120	389	557	712	894	1048	1237	1392
335	132	414	594	761	956	1122	1324	1491
366	144	452	631	810	1017	1231	1410	1589



**BANDED
SHADES**

Banded Shades

Features and Benefits



Features & Benefits

- Banded Shades combine transparent, translucent or opaque vanes for control over privacy and light filtering.
- Universal bracket provides easy installation for both ceiling and wall mount applications.
- Minimum width varies based on motor choice.
- Maximum width with Zero Gravity operation is 75".
- Plastic bead loop chain available in white and black.
- Stainless steel loop chain is optional and comes in standard lengths of 45", 50", 55", 60", 65", 70", 75", 80" and 85".
- Curved Cassettes and Compact Curved Cassettes allow for the option of fabric insert for complete coordination, available in white, linen, anodized, brown and black with matching end caps.
- Bottom bar if using Zero Gravity has a exposed tube.
- Bottom bars available in white, linen, anodized, brown and black.





Banded Shades

Mounting Details

Curved Cassette

Dimensions & Overview




Brackets Required By Width


Shade Width	<48"	48"-72"	72"-108"	108"-144"	>144"
# of Brackets	2	3	4	5	6

Mounting Specifications

Ceiling Mount




Wall Mount





Banded Shades

Valance Options: Compact Curved Cassette



Features & Benefits

- Option for the front of the cassette to be wrapped with fabric to match the shade fabric.
- Completely assembled unit conceals the roller shade from the interior and exterior space.
- Allows for motorized controls with wireless remotes, switches or other smart devices.
- Compatible with the Zero Gravity system which allows the shade to be raised and lowered manually to the desired position with minimal effort. (No clutch and chain required).
- Multi in 1 (separate control) allow a group of shades to be driven individually under a single cassette.
- Snap on flexible mounting brackets can be ceiling or wall mounted.
- Available in white, anodized, linen, brown, and black with matching end caps.





LIGHT GAP MAY INCREASE when width to height ratio is 1:2.5 or greater



Banded Shades

Valance Options: Compact Curved Cassette

Dimensions & Overview




Brackets Required By Width


Shade Width	<60"	60"–96"	96"–120"	120"–148"	>148"
# of Brackets	2	3	4	5	6

Mounting Specifications

Ceiling Mount




Wall Mount





Banded Shades

Valance Options: Square Cassette



Features & Benefits

- Sleek look accommodates upscale commercial needs and affords greater residential appeal.
- Front of cassette can be wrapped with fabric to match the roller shade fabric.
- Shades can be regular or reverse roll.
- Completely assembled unit conceals the roller shade from the interior and exterior space.
- Supports Multi-In-One, side-by-side shades in a single continuous cassette.
- Compatible with chain, motors, Neo, and Zero Gravity
- Snap on mounting brackets can be ceiling or wall mounted.
- Available in white, anodized, linen, and black with matching end caps.
- Provides a finished look for outside wall mounted applications (colours match bottom bar end caps).





LIGHT GAP MAY INCREASE when width to height ratio is 1:2.5 or greater

Banded Shades

Valance Options: Square Cassette

Dimensions & Overview




Brackets Required By Width


Shade Width	<60"	60"-96"	96"-120"	120"-148"	>148"
# of Brackets	2	3	4	5	6

Mounting Specifications

Ceiling Mount



Wall Mount



Price Groups: Banded Shade

Price Group 1

Suggested retail price for manual banded shades includes mounting brackets, and choice of chain. Automation and Zero Gravity available at an additional cost. Any shades using a chain mechanism now include the Safety Shield.

Shades that are smaller than 72"x48" (as indicated by the black filled cells below) include the Compact Curved Cassette. Shades outside of the black filled area include the Curved Cassette (not the smaller Compact version).

If you wish to upgrade from a Compact Curved Cassette to a standard Curved Cassette apply the "Compact Curved Cassette to Curved Cassette" upcharge below, then apply the appropriate upcharge for fabric wrapping if desired.

Fabrics: Gaze

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																L Side Channels L & R
Length	Width															
	cm	76	91	107	122	137	152	168	183	198	213	229	244	274		
	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	
91	36"	248	275	301	327	354	379	444	540	582	687	715	753	781	995	153
107	42"	251	279	305	332	393	422	451	561	595	703	731	769	782	990	173
122	48"	254	283	309	369	399	439	469	573	606	718	732	770	798	1,038	192
137	54"	279	310	341	405	449	484	518	627	666	720	747	817	845	1,053	212
152	60"	282	313	376	411	455	491	526	638	665	735	795	833	860	1,068	231
168	66"	285	317	381	426	462	499	535	636	708	782	810	848	875	1,076	251
183	72"	287	349	395	432	469	506	533	678	719	798	826	863	885	1,133	271
198	78"	291	353	400	438	476	504	541	689	731	813	841	873	900	1,149	290
213	84"	320	358	405	444	473	511	576	700	743	829	851	929	957	1,164	310
229	90"	323	371	411	450	480	545	584	710	754	837	908	945	973	1,179	329
244	96"	326	375	415	447	487	553	593	721	761	854	923	960	988	1,194	349
259	102"	330	379	420	452	520	561	600	726	772	910	938	975	1,003	1,209	388
274	108"	342	383	426	458	526	567	609	737	825	926	953	991	1,019	1,224	
290	114"	345	388	422	491	533	575	613	747	836	941	968	1,006	1,034	1,240	
305	120"	349	392	427	497	540	582	621	800	848	956	984	1,021	1,049	1,256	428
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"
Curved or Square Cassette fabric wrap	25	30	36	41	46	51	56	64	68	73	79	84	89	101
Compact Curved Cassette fabric wrap	27	31	37	42	46	52	57	62	67	72	77	83	88	98
Upgrade Compact Curved Cassette to Curved or Square Cassette	22	24	28	30	33	37	40	44	47					

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190
Motorization	See motor section

Price Groups: Banded Shade

Price Group 2

Suggested retail price for manual banded shades includes mounting brackets, and choice of chain. Automation and Zero Gravity available at an additional cost. Any shades using a chain mechanism now include the Safety Shield.

Shades that are smaller than 72"x48" (as indicated by the black filled cells below) include the Compact Curved Cassette. Shades outside of the black filled area include the Curved Cassette (not the smaller Compact version).

If you wish to upgrade from a Compact Curved Cassette to a standard Curved Cassette apply the "Compact Curved Cassette to Curved Cassette" upcharge below, then apply the appropriate upcharge for fabric wrapping if desired.

Fabrics: Bravado, Nostalgia

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																L Side Channels L & R	
Width																	
cm		76	91	107	122	137	152	168	183	198	213	229	244	274			
Length	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"		
	91	36"	310	350	389	428	468	530	572	668	722	875	904	941	968	1,175	153
	107	42"	320	361	402	445	509	552	597	708	755	920	947	984	1,012	1,219	173
	122	48"	329	374	416	483	529	584	631	739	788	964	991	1,028	1,057	1,205	192
	137	54"	360	409	479	530	592	644	695	813	869	1,007	1,035	1,029	1,055	1,245	212
	152	60"	370	439	494	548	612	666	721	842	901	1,051	1,033	1,069	1,094	1,285	231
	168	66"	379	451	508	575	632	689	745	873	899	1,046	1,073	1,109	1,135	1,303	251
	183	72"	388	465	533	593	652	711	770	870	929	1,086	1,112	1,149	1,155	1,379	271
	198	78"	415	477	548	610	671	734	796	897	959	1,126	1,152	1,168	1,194	1,419	290
	213	84"	426	489	563	628	691	756	790	925	989	1,167	1,172	1,245	1,271	1,458	310
	229	90"	436	511	578	645	711	750	813	952	1,020	1,185	1,248	1,284	1,310	1,497	329
	244	96"	446	524	593	662	731	771	836	980	1,031	1,224	1,287	1,323	1,349	1,535	349
259	102"	456	536	608	680	725	792	858	990	1,060	1,300	1,327	1,362	1,388	1,574	388	
274	108"	475	548	623	697	744	812	881	1,017	1,128	1,339	1,366	1,401	1,427	1,614		
290	114"	486	561	638	690	762	833	888	1,044	1,157	1,379	1,405	1,441	1,466	1,653		428
305	120"	495	574	653	707	780	853	910	1,109	1,186	1,418	1,443	1,480	1,505	1,692		
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194		

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"
Curved or Square Cassette fabric wrap	25	30	36	41	46	51	56	64	68	73	79	84	89	101
Compact Curved Cassette fabric wrap	27	31	37	42	46	52	57	62	67	72	77	83	88	98
Upgrade Compact Curved Cassette to Curved or Square Cassette	22	24	28	30	33	37	40	44	47					

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190
Motorization	See motor section

Price Groups: Banded Shade

Price Group 3

Suggested retail price for manual banded shades includes mounting brackets, and choice of chain. Automation and Zero Gravity available at an additional cost. Any shades using a chain mechanism now include the Safety Shield.

Shades that are smaller than 72"x48" (as indicated by the black filled cells below) include the Compact Curved Cassette. Shades outside of the black filled area include the Curved Cassette (not the smaller Compact version).

If you wish to upgrade from a Compact Curved Cassette to a standard Curved Cassette apply the "Compact Curved Cassette to Curved Cassette" upcharge below, then apply the appropriate upcharge for fabric wrapping if desired.

Fabrics: Twilight

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																	L Side Channels L & R
Width																	
cm		76	91	107	122	137	152	168	183	198	213	229	244	274			
Length	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"		
	91	36"	422	485	545	607	670	725	786	911	988	1,219	1,248	1,287	1,317	1,546	153
	107	42"	442	509	576	642	704	769	836	983	1,053	1,304	1,333	1,372	1,403	1,631	173
	122	48"	462	534	605	672	744	825	896	1,041	1,117	1,389	1,419	1,458	1,488	1,724	192
	137	54"	505	583	658	737	827	907	985	1,144	1,228	1,475	1,504	1,554	1,584	1,809	212
	152	60"	524	603	688	772	867	951	1,036	1,203	1,293	1,560	1,599	1,638	1,667	1,892	231
	168	66"	544	629	718	818	907	996	1,085	1,261	1,370	1,654	1,683	1,722	1,752	1,833	251
	183	72"	564	653	758	853	947	1,040	1,134	1,334	1,433	1,737	1,767	1,806	1,702	1,952	271
	198	78"	579	678	788	887	986	1,085	1,184	1,392	1,497	1,821	1,850	1,752	1,779	2,029	290
	213	84"	599	703	818	922	1,025	1,130	1,246	1,450	1,559	1,905	1,791	1,870	1,898	2,105	310
	229	90"	619	739	847	956	1,065	1,187	1,295	1,508	1,623	1,840	1,910	1,947	1,975	2,182	329
	244	96"	639	763	877	991	1,105	1,231	1,343	1,566	1,561	1,917	1,986	2,024	2,051	2,259	349
259	102"	659	788	907	1,026	1,158	1,276	1,392	1,503	1,619	2,035	2,063	2,101	2,128	2,336	388	
274	108"	689	813	937	1,060	1,197	1,319	1,441	1,556	1,719	2,112	2,140	2,178	2,205	2,413		
290	114"	709	837	966	1,110	1,236	1,363	1,379	1,609	1,776	2,189	2,216	2,254	2,282	2,490	428	
305	120"	729	862	996	1,144	1,275	1,406	1,424	1,704	1,834	2,266	2,293	2,331	2,359	2,566		
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194		

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"
Curved or Square Cassette fabric wrap	25	30	36	41	46	51	56	64	68	73	79	84	89	101
Compact Curved Cassette fabric wrap	27	31	37	42	46	52	57	62	67	72	77	83	88	98
Upgrade Compact Curved Cassette to Curved or Square Cassette	22	24	28	30	33	37	40	44	47					

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190
Motorization	See motor section



Price Groups: Interlude Shade

Price Group 1

Suggested retail price for manual banded shades includes mounting brackets, chain hold down and choice of chain. Automation and zero gravity available at an additional cost.

Shades that are smaller than 72"x48" (as indicated by the black filled cells below) include the Compact Curved Cassette. Shades outside of the black filled area include the Curved Cassette (not the smaller Compact version).

If you wish to upgrade from a Compact Curved Cassette to a full sized Curved Cassette apply the "Compact Curved Cassette to Curved Cassette" upcharge below, then apply the appropriate upcharge for fabric wrapping if desired.

Fabrics: Gossamer

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																	L Side Channels L & R
Length	Width																
	cm	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	
	91	36"	248	275	301	327	354	379	444	540	582	687	715	753	781	995	153
	107	42"	251	279	305	332	393	422	451	561	595	703	731	769	782	990	173
	122	48"	254	283	309	369	399	439	469	573	606	718	732	770	798	1,038	192
	137	54"	279	310	341	405	449	484	518	627	666	720	747	817	845	1,053	212
	152	60"	282	313	376	411	455	491	526	638	665	735	795	833	860	1,068	231
	168	66"	285	317	381	426	462	499	535	636	708	782	810	848	875	1,076	251
	183	72"	287	349	395	432	469	506	533	678	719	798	826	863	885	1,133	271
	198	78"	291	353	400	438	476	504	541	689	731	813	841	873	900	1,149	290
	213	84"	320	358	405	444	473	511	576	700	743	829	851	929	957	1,164	310
	229	90"	323	371	411	450	480	545	584	710	754	837	908	945	973	1,179	329
	244	96"	326	375	415	447	487	553	593	721	761	854	923	960	988	1,194	349
	259	102"	330	379	420	452	520	561	600	726	772	910	938	975	1,003	1,209	388
	274	108"	342	383	426	458	526	567	609	737	825	926	953	991	1,019	1,224	
	290	114"	345	388	422	491	533	575	613	747	836	941	968	1,006	1,034	1,240	428
	305	120"	349	392	427	497	540	582	621	800	848	956	984	1,021	1,049	1,256	
L Bottom Channel			57	67	77	87	96	106	116	126	136	145	155	165	175	194	

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"
Curved or Square Cassette fabric wrap	25	30	36	41	46	51	56	64	68	73	79	84	89	101
Compact Curved Cassette fabric wrap	27	31	37	42	46	52	57	62	67	72	77	83	88	98
Upgrade Compact Curved Cassette to Curved or Square Cassette	22	24	28	30	33	37	40	44	47					

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190
Motorization	See motor section

Fabric wrapping not available for the Curved Cassette and Compact Curved Cassette with the following fabrics:
Safari, Terra, and Timber



Price Groups: Interlude Shade

Price Group 2

Suggested retail price for manual banded shades includes mounting brackets, chain hold down and choice of chain. Automation and zero gravity available at an additional cost.

Shades that are smaller than 72"x48" (as indicated by the black filled cells below) include the Compact Curved Cassette. Shades outside of the black filled area include the Curved Cassette (not the smaller Compact version).

If you wish to upgrade from a Compact Curved Cassette to a full sized Curved Cassette apply the "Compact Curved Cassette to Curved Cassette" upcharge below, then apply the appropriate upcharge for fabric wrapping if desired.

Fabrics: Cubic, Herringbone, Luxor, Modest, Republic, Terra, Vintage

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																L Side Channels L & R
Length	Width															
	cm	76	91	107	122	137	152	168	183	198	213	229	244	274		
	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	
91	36"	310	350	389	428	468	530	572	668	722	875	904	941	968	1,175	153
107	42"	320	361	402	445	509	552	597	708	755	920	947	984	1,012	1,219	173
122	48"	329	374	416	483	529	584	631	739	788	964	991	1,028	1,057	1,205	192
137	54"	360	409	479	530	592	644	695	813	869	1,007	1,035	1,029	1,055	1,245	212
152	60"	370	439	494	548	612	666	721	842	901	1,051	1,033	1,069	1,094	1,285	231
168	66"	379	451	508	575	632	689	745	873	899	1,046	1,073	1,109	1,135	1,303	251
183	72"	388	465	533	593	652	711	770	870	929	1,086	1,112	1,149	1,155	1,379	271
198	78"	415	477	548	610	671	734	796	897	959	1,126	1,152	1,168	1,194	1,419	290
213	84"	426	489	563	628	691	756	790	925	989	1,167	1,172	1,245	1,271	1,458	310
229	90"	436	511	578	645	711	750	813	952	1,020	1,185	1,248	1,284	1,310	1,497	329
244	96"	446	524	593	662	731	771	836	980	1,031	1,224	1,287	1,323	1,349	1,535	349
259	102"	456	536	608	680	725	792	858	990	1,060	1,300	1,327	1,362	1,388	1,574	388
274	108"	475	548	623	697	744	812	881	1,017	1,128	1,339	1,366	1,401	1,427	1,614	
290	114"	486	561	638	690	762	833	888	1,044	1,157	1,379	1,405	1,441	1,466	1,653	428
305	120"	495	574	653	707	780	853	910	1,109	1,186	1,418	1,443	1,480	1,505	1,692	
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194	

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"
Curved or Square Cassette fabric wrap	25	30	36	41	46	51	56	64	68	73	79	84	89	101
Compact Curved Cassette fabric wrap	27	31	37	42	46	52	57	62	67	72	77	83	88	98
Upgrade Compact Curved Cassette to Curved or Square Cassette	22	24	28	30	33	37	40	44	47					

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190
Motorization	See motor section

Fabric wrapping not available for the Curved Cassette and Compact Curved Cassette with the following fabrics: Safari, Terra, and Timber



Price Groups: Interlude Shade

Price Group 3

Suggested retail price for manual banded shades includes mounting brackets, chain hold down and choice of chain. Automation and zero gravity available at an additional cost.

Shades that are smaller than 72"x48" (as indicated by the black filled cells below) include the Compact Curved Cassette. Shades outside of the black filled area include the Curved Cassette (not the smaller Compact version).

If you wish to upgrade from a Compact Curved Cassette to a full sized Curved Cassette apply the "Compact Curved Cassette to Curved Cassette" upcharge below, then apply the appropriate upcharge for fabric wrapping if desired.

Fabrics: Android, Midnight, Precious Metal, Safari, Timber, York

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																L Side Channels L & R	
Width																	
cm		76	91	107	122	137	152	168	183	198	213	229	244	274			
Length	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"		
	91	36"	422	485	545	607	670	725	786	911	988	1,219	1,248	1,287	1,317	1,546	153
	107	42"	442	509	576	642	704	769	836	983	1,053	1,304	1,333	1,372	1,403	1,631	173
	122	48"	462	534	605	672	744	825	896	1,041	1,117	1,389	1,419	1,458	1,488	1,724	192
	137	54"	505	583	658	737	827	907	985	1,144	1,228	1,475	1,504	1,554	1,584	1,809	212
	152	60"	524	603	688	772	867	951	1,036	1,203	1,293	1,560	1,599	1,638	1,667	1,892	231
	168	66"	544	629	718	818	907	996	1,085	1,261	1,370	1,654	1,683	1,722	1,752	1,833	251
	183	72"	564	653	758	853	947	1,040	1,134	1,334	1,433	1,737	1,767	1,806	1,702	1,952	271
	198	78"	579	678	788	887	986	1,085	1,184	1,392	1,497	1,821	1,850	1,752	1,779	2,029	290
	213	84"	599	703	818	922	1,025	1,130	1,246	1,450	1,559	1,905	1,791	1,870	1,898	2,105	310
	229	90"	619	739	847	956	1,065	1,187	1,295	1,508	1,623	1,840	1,910	1,947	1,975	2,182	329
	244	96"	639	763	877	991	1,105	1,231	1,343	1,566	1,561	1,917	1,986	2,024	2,051	2,259	349
259	102"	659	788	907	1,026	1,158	1,276	1,392	1,503	1,619	2,035	2,063	2,101	2,128	2,336	388	
274	108"	689	813	937	1,060	1,197	1,319	1,441	1,556	1,719	2,112	2,140	2,178	2,205	2,413		
290	114"	709	837	966	1,110	1,236	1,363	1,379	1,609	1,776	2,189	2,216	2,254	2,282	2,490		428
305	120"	729	862	996	1,144	1,275	1,406	1,424	1,704	1,834	2,266	2,293	2,331	2,359	2,566		
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194		

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"
Curved or Square Cassette fabric wrap	25	30	36	41	46	51	56	64	68	73	79	84	89	101
Compact Curved Cassette fabric wrap	27	31	37	42	46	52	57	62	67	72	77	83	88	98
Upgrade Compact Curved Cassette to Curved or Square Cassette	22	24	28	30	33	37	40	44	47					

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Zero Gravity	190
Motorization	See motor section

Fabric wrapping not available for the Curved Cassette and Compact Curved Cassette with the following fabrics:
Safari, Terra, and Timber



A photograph of a workspace featuring a laptop on a desk in front of a window with sheer shades. The shades are light-colored with horizontal slats, allowing soft, diffused light to enter the room. The laptop is a dark-colored Dell model. A red stapler is partially visible on the right side of the desk. A red rectangular overlay is positioned in the lower-left corner, containing the text 'SHEER SHADES' in white, bold, sans-serif capital letters.

SHEER SHADES



Sheer Shades

Features and Benefits



Features & Benefits

- The Sheer Shades combines transparent fabric with opaque or translucent vanes for total control over privacy and light filtering.
- Curved cassette allows for the option of fabric wrapping the cassette for complete coordination.
- Bottom bar does not allow light penetration and features a levelling weight system.
- Curved cassette available in anodized, black, linen, brown and white.
- Bottom bars available in grey, linen and white.
- Universal bracket provides easy installation for both ceiling and wall mount applications.
- Minimum width for automated Sheer Shades is 16".
- Chain loop is standard. If stoppers are required, please specify.





Sheer Shades

Mounting Details

Curved Cassette



Dimensions & Overview



Brackets Required By Width

Shade Width	<48"	48"-72"	72"-108"	108"-144"	>144"
# of Brackets	2	3	4	5	6

Mounting Specifications






Sheer Shades

Mounting Details

Square Cassette



Features & Benefits

- Sleek look accommodates upscale commercial needs and affords greater residential appeal.
- Front of cassette can be wrapped with fabric to match the roller shade fabric.
- Shades can be regular or reverse roll.
- Completely assembled unit conceals the roller shade from the interior and exterior space.
- Supports Multi-In-One, side-by-side shades in a single continuous cassette.
- Compatible with chain, motors, Neo, and Zero Gravity
- Snap on mounting brackets can be ceiling or wall mounted.
- Available in white, anodized, linen, and black with matching end caps.
- Provides a finished look for outside wall mounted applications (colours match bottom bar end caps).



LIGHT GAP MAY INCREASE when width to height ratio is 1:2.5 or greater





Sheer Shades

Mounting Details

Square Cassette

Dimensions & Overview




Brackets Required By Width


Shade Width	<60"	60"-96"	96"-120"	120"-148"	>148"
# of Brackets	2	3	4	5	6

Mounting Specifications

Ceiling Mount



Wall Mount





Price Groups: Sheer Shades

Price Group 1

Suggested retail price for manual Sheer shades includes aluminium curved cassette, mounting brackets, and choice of chain. Automation available at an additional cost. Any shades using a chain mechanism now include the Safety Shield.

Fabrics: Chic, Element

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																L Side Channels L & R	
Length	Width																
	cm		76	91	107	122	137	152	168	183	198	213	229	244	274		
	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"		
	91	36"	399	446	493	541	615	664	713	829	903	956	1008	1070	1122	1226	153
	107	42"	412	461	511	587	639	692	731	888	944	1000	1056	1120	1176	1287	173
	122	48"	423	476	553	609	665	741	795	926	984	1043	1103	1171	1230	1385	192
	137	54"	435	490	572	631	710	768	826	963	1025	1088	1149	1259	1321	1445	212
	152	60"	447	528	591	640	735	796	856	1000	1065	1131	1234	1310	1375	1506	231
	168	66"	459	544	610	695	760	823	888	1037	1143	1212	1281	1360	1429	1567	251
	183	72"	492	560	650	717	784	851	918	1111	1184	1256	1329	1410	1483	1647	271
	198	78"	506	576	669	739	809	879	948	1148	1223	1300	1376	1461	1537	1709	290
	213	84"	518	580	687	760	833	907	1013	1186	1264	1344	1424	1533	1611	1770	310
	229	90"	530	629	706	781	857	967	1044	1222	1305	1388	1491	1583	1665	1830	329
244	96"	542	644	724	803	882	995	1075	1259	1346	1432	1538	1634	1719	1891	349	
259	102"	544	659	742	824	940	1022	1105	1296	1387	1496	1586	1684	1774	1952	388	
274	108"	591	675	761	846	965	1051	1136	1333	1446	1539	1632	1735	1828	2013		
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194		

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"
Curved or Square Cassette fabric wrap	25	30	36	41	46	51	56	64	68	73	79	84	89	101

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Motorization	See motor section
--------------	-----------------------------------



Price Groups: Illusions Shade

Price Group 1

Suggested retail price for manual Sheer shades includes aluminium curved cassette, mounting brackets, and choice of chain. Automation available at an additional cost. Any shades using a chain mechanism now include the Safety Shield.

Fabrics: Elegance, Limestone, Natural

Suggested retail price for manual shades. Automation is available at an added cost. Open roll roller shade includes wrap, mounting brackets, choice of chain and choice of hem.																	L Side Channels L & R
Length	Width																
	cm	76	91	107	122	137	152	168	183	198	213	229	244	274			
	in.	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"		
	91	36"	399	446	493	541	615	664	713	829	903	956	1008	1070	1122	1226	153
	107	42"	412	461	511	587	639	692	731	888	944	1000	1056	1120	1176	1287	173
	122	48"	423	476	553	609	665	741	795	926	984	1043	1103	1171	1230	1385	192
	137	54"	435	490	572	631	710	768	826	963	1025	1088	1149	1259	1321	1445	212
	152	60"	447	528	591	640	735	796	856	1000	1065	1131	1234	1310	1375	1506	231
	168	66"	459	544	610	695	760	823	888	1037	1143	1212	1281	1360	1429	1567	251
	183	72"	492	560	650	717	784	851	918	1111	1184	1256	1329	1410	1483	1647	271
	198	78"	506	576	669	739	809	879	948	1148	1223	1300	1376	1461	1537	1709	290
	213	84"	518	580	687	760	833	907	1013	1186	1264	1344	1424	1533	1611	1770	310
229	90"	530	629	706	781	857	967	1044	1222	1305	1388	1491	1583	1665	1830	329	
244	96"	542	644	724	803	882	995	1075	1259	1346	1432	1538	1634	1719	1891	349	
259	102"	544	659	742	824	940	1022	1105	1296	1387	1496	1586	1684	1774	1952	388	
274	108"	591	675	761	846	965	1051	1136	1333	1446	1539	1632	1735	1828	2013		
L Bottom Channel		57	67	77	87	96	106	116	126	136	145	155	165	175	194		

Valance Options (Add price to above grid)

Valances	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"
Curved or Square Cassette fabric wrap	25	30	36	41	46	51	56	64	68	73	79	84	89	101

If placing multiple shades side-by-side, they can be housed in a single valance piece for a cleaner look.

[See the Multi-In-One page](#) for further details.

Operation Methods

Motorization	See motor section
--------------	-----------------------------------




**SIMPLY
CELLULAR**





Simply Cellular

Features and Benefits


Cordless Simply Cellular Shade



Cordless Day & Night (D&N) Simply Cellular Shade




Bottom Rail Handle




Midrail Handle


**Cellular
MIN. WIDTH**




**Cellular D/N
MIN. WIDTH**




**Cellular
FIXED. HEIGHT**



OR



**Cellular
MAX. WIDTH**



Features & Benefits


- **Affordable Elegance:** Simply Cellular is perfect for those that do not need a high level of customization and are looking for a quick turn around.
- **Chainless Operation:** Minimal light gaps offer a sleek, polished appearance while ensuring child-safe operation.
- **Fabric:** Crafted from 100% polyester single-cell, 9/16", available in both light-filtering and blackout options. The back of the fabric is always white for a uniform appearance.
- **Quick and Easy Installation:** Spring loaded brackets save time and effort for a simple installation.
- **Colour Matched Design:** Durable PVC headrail, midrail, and bottomrail are perfectly matched to your selected fabric.
- **Day and Night Option:** Enjoy the best of both worlds in 6 fabric choices. Printed options not available in Day & Night.



Simply Cellular


Mounting Details

Dimensions & Overview




Headrail	
HEIGHT	1 1/8"
DEPTH	1 3/4"

The Headrail: Is made of high quality PVC



Bracket	
HEIGHT	3/4"
WIDTH	1 3/8"
DEPTH	1 15/16"

Brackets: Constructed of cold rolled steel. Zinc plated. Hex head screws are included.



Bottomrail	
HEIGHT	1/2"
DEPTH	1 5/8"



The Bottomrail: Is made of high quality PVC

Components Required By Width



Shade Width	Brackets	Screw	Bottom Rail Handle	1 Midrail Handle (D&N)
width<38"	2	4	1	1
width>38"	3	6	2	2

Mounting Specifications

Outside Mount



Inside Mount





Simply Cellular

Price Group

Price Group 1: Light Filtering

Length	Width										
	cm	60		76		96		137		183	
	in.	24"		30"		38"		54"		72"	
	48"	89		99		119		159		219	
	72"	119		139		179		249			

Price Group 2: Blackout

Length	Width						
	cm		60	76	96	137	183
		in.	24"	30"	38"	54"	72"
	122	48"	119	139	179	239	329
	183	72"		169	209	289	389

Price Group 3: Day & Night

Length	Width						
	cm		60	76	96	137	183
		in.	24"	30"	38"	54"	72"
	122	48"	179	209	269	359	489
	183	72"		259	319	439	589

Cellular Fabric Specifications

Fabric Type	Light Penetration	Composition
Light Filtering		100% Polyester
Blackout		100% Polyester
Light Filtering & Blackout		100% Polyester

A photograph of a workspace featuring a laptop on a desk, with horizontal blinds in the background. A red semi-transparent rectangle is overlaid on the lower-left portion of the image, containing the word "LIMITATIONS" in white, bold, sans-serif capital letters.

LIMITATIONS



Roller Shade Limitations

Limitations Chart 1

Fabrics: Frond

		Maximum Length by Width (inches)			
	Width	<48	48-72	72-96	96-110
Open Roll & Fabric Valance	Chain	120			
	Motor	120			
	Zero Gravity	120			60
	SG Wand/ SG Mini Motor	120			75
3" Fascia	Chain	120			
	Motor	120			
	Zero Gravity	120			60
	SG Wand/ SG Mini Motor	120			75
4" Fascia	Chain	120			
	Motor	120			
	Zero Gravity	120			60
	SG Wand/ SG Mini Motor	120			75
Curved or Square Cassette	Chain	120			
	Motor	120			
	Zero Gravity	120			60
	Chainless	120			60
SG Wand/ SG Mini Motor	120			75	
Compact Curved Cassette	Chain	120			
	Motor	100	80		
	Zero Gravity	120			
	Chainless	120			
	SG Wand/ SG Mini Motor	100	80		
PVC Valance	Chain	120			
	Motor	120			
	Zero Gravity	120			60
	SG Wand/ SG Mini Motor	120			75
Dual Shade	Chain	120			
	Motor	120			
	Zero Gravity	120			60
	SG Wand/ SG Mini Motor	120			60

Limitations Chart 2

**Fabrics:
Aspen, Bloom, Crystalline, Ecoscreen**

Aspen, Dorian, Crystalline, Espresso

		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Open Roll & Fabric Valance	Chain	120			
	Motor	120			
	Zero Gravity	120		90	60
	SG Wand/ SG Mini Motor	110		100	50
3" Fascia	Chain	120			
	Motor	120			
	Zero Gravity	120		90	60
	SG Wand/ SG Mini Motor	110		90	50
4" Fascia	Chain	120			
	Motor	120			
	Zero Gravity	120		90	60
	SG Wand/ SG Mini Motor	110		100	50
Curved or Square Cassette	Chain	120			
	Motor	120			
	Zero Gravity	120		90	60
	Chainless	110		80	60
SG Wand/ SG Mini Motor	110		100	50	
Compact Curved Cassette	Chain	100			
	Motor	90	70		
	Zero Gravity	90	70		
	Chainless	90	70		
SG Wand/ SG Mini Motor	90	70			
PVC Valance	Chain	120			
	Motor	120			
	Zero Gravity	120		90	60
	SG Wand/ SG Mini Motor	120		100	50
Dual Shade	Chain	120		96	
	Motor	120		96	
	Zero Gravity	120		72	48
	SG Wand/ SG Mini Motor	120		90	50



Roller Shade Limitations

Limitations Chart 3

Fabrics:
Cambric, Nature Veil

	Width	Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Open Roll & Fabric Valance	Chain	120			
	Motor	120			105
	Zero Gravity	120		90	48
	SG Wand/ SG Mini Motor	120		90	50
3" Fascia	Chain	120			
	Motor	120		105	
	Zero Gravity	120		90	48
	SG Wand/ SG Mini Motor	120		90	50
4" Fascia	Chain	120			
	Motor	120			105
	Zero Gravity	120		90	48
	SG Wand/ SG Mini Motor	120		90	50
Curved or Square Cassette	Chain	120			110
	Motor	120		105	
	Zero Gravity	120		90	48
	Chainless	120		90	N/A
	SG Wand/ SG Mini Motor	120		90	50
Compact Curved Cassette	Chain	70			
	Motor	50			
	Zero Gravity	50			
	Chainless	50			
	SG Wand/ SG Mini Motor	50			
PVC Valance	Chain	120			
	Motor	120			105
	Zero Gravity	120		90	48
	SG Wand/ SG Mini Motor	120		90	50
Dual Shade	Chain	120		72	
	Motor	120		72	
	Zero Gravity	120	96	72	N/A
	SG Wand/ SG Mini Motor	120		80	50

Limitations Chart 4

Fabrics: Lunar, Peru Translucent, Rustica Privacy

	Width	Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Open Roll & Fabric Valance	Chain	120			
	Motor	120			110
	Zero Gravity	120		84	N/A
	SG Wand/ SG Mini Motor	120		90	40
3" Fascia	Chain	120			
	Motor	120		110	
	Zero Gravity	120		84	N/A
	SG Wand/ SG Mini Motor	120		90	40
4" Fascia	Chain	120			
	Motor	120			110
	Zero Gravity	120		84	N/A
	SG Wand/ SG Mini Motor	120		90	40
Curved or Square Cassette	Chain	120			110
	Motor	120		110	
	Zero Gravity	120		84	N/A
	Chainless	120		84	N/A
	SG Wand/ SG Mini Motor	120		90	40
Compact Curved Cassette	Chain	80			
	Motor	60			
	Zero Gravity	60			
	Chainless	60			
	SG Wand/ SG Mini Motor	60			
PVC Valance	Chain	120			
	Motor	120			110
	Zero Gravity	120		84	N/A
	SG Wand/ SG Mini Motor	120		90	40
Dual Shade	Chain	96		72	
	Motor	96		72	
	Zero Gravity	96		72	N/A
	SG Wand/ SG Mini Motor	96		72	40



Roller Shade Limitations

Limitations Chart 5

Fabrics: Rustica Opaque

		Maximum Length by Width (inches)			
Width		<48	48-72	72-96	96-110
Open Roll & Fabric Valance	Chain	120			110
	Motor	120			110
	Zero Gravity	120		60	N/A
	SG Wand/ SG Mini Motor	120		70	28
3" Fascia	Chain	120			110
	Motor	120		110	
	Zero Gravity	120		60	N/A
	SG Wand/ SG Mini Motor	120		70	28
4" Fascia	Chain	120			110
	Motor	120			110
	Zero Gravity	120		60	N/A
	SG Wand/ SG Mini Motor	120		70	28
Curved or Square Cassette	Chain	120			110
	Motor	120		110	
	Zero Gravity	120		60	N/A
	Chainless	120		65	N/A
	SG Wand/ SG Mini Motor	120		70	28
Compact Curved Cassette	Chain	60			
	Motor	48			
	Zero Gravity	48			
	Chainless	48			
	SG Wand/ SG Mini Motor	48			
PVC Valance	Chain	120			110
	Motor	120			110
	Zero Gravity	120		60	N/A
	SG Wand/ SG Mini Motor	120		70	28
Dual Shade	Chain	96		72	
	Motor	96		72	
	Zero Gravity	96	72	48	
	SG Wand/ SG Mini Motor	96		60	N/A

Limitations Chart 6

Fabrics: Twinscreen 1%

		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Open Roll & Fabric Valance	Chain	120			110
	Motor	120			110
	Zero Gravity	120		48	N/A
	SG Wand/ SG Mini Motor	120		50	N/A
3" Fascia	Chain	120		100	90
	Motor	120		85	
	Zero Gravity	120		48	N/A
	SG Wand/ SG Mini Motor	120		50	N/A
4" Fascia	Chain	120			110
	Motor	120			110
	Zero Gravity	120		48	N/A
	SG Wand/ SG Mini Motor	120		50	N/A
Curved or Square Cassette	Chain	120		100	90
	Motor	120		85	
	Zero Gravity	120		48	N/A
	Chainless	120		48	N/A
	SG Wand/ SG Mini Motor	120		50	N/A
Compact Curved Cassette	Chain	50			
	Motor	35			
	Zero Gravity	35			
	Chainless	35			
	SG Wand/ SG Mini Motor	35			
PVC Valance	Chain	120		100	
	Motor	120		85	
	Zero Gravity	120		48	N/A
	SG Wand/ SG Mini Motor	120		50	N/A
Dual Shade	Chain	96		72	
	Motor	96		72	
	Zero Gravity	96		48	
	SG Wand/ SG Mini Motor	96		50	N/A



Roller Shade Limitations

Limitations Chart 7

Fabrics: Azure, Oasis

		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Open Roll & Fabric Valance	Chain	120			110
	Motor	120			110
	Zero Gravity	120	80	N/A	
	SG Wand/ SG Mini Motor	120	90	50	
3" Fascia	Chain	100	80	75	
	Motor	100	80	72	
	Zero Gravity	100	80	N/A	
	SG Wand/ SG Mini Motor	100	80	50	
4" Fascia	Chain	120			110
	Motor	120			110
	Zero Gravity	120	80	N/A	
	SG Wand/ SG Mini Motor	120	90	50	
Curved or Square Cassette	Chain	100	80	75	
	Motor	100	80	72	
	Zero Gravity	100	80	N/A	
	Chainless	100	80	N/A	
	SG Wand/ SG Mini Motor	100	80	50	
Compact Curved Cassette	Chain	40			
	Motor	30			
	Zero Gravity	30			
	Chainless	30			
	SG Wand/ SG Mini Motor	30			
PVC Valance	Chain	100	80	80	
	Motor	110	80	110	
	Zero Gravity	120	80	N/A	
	SG Wand/ SG Mini Motor	120	80	50	
Dual Shade	Chain	96	72		
	Motor	96	72		
	Zero Gravity	96	48		
	SG Wand/ SG Mini Motor	96	72	50	

Limitations Chart 8

Fabrics: Crystiline Opaque, Paragon Screen 3%, Peru Opaque, RS 403 3%, Twinscreen 3%, Vinyl 4 Ply, Willow

		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Open Roll & Fabric Valance	Chain	120			110
	Motor	120			110
	Zero Gravity	120		50	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
3" Fascia	Chain	120		110	
	Motor	120		105	
	Zero Gravity	120		50	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
4" Fascia	Chain	120			110
	Motor	120			110
	Zero Gravity	120		50	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
Curved or Square Cassette	Chain	120		110	
	Motor	120		105	
	Zero Gravity	120		50	N/A
	Chainless	120		50	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
Compact Curved Cassette	Chain	60			
	Motor	50			
	Zero Gravity	50			
	Chainless	50			
	SG Wand/ SG Mini Motor	50			
PVC Valance	Chain	120			110
	Motor	120			110
	Zero Gravity	120		50	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
Dual Shade	Chain	96		72	
	Motor	96		72	
	Zero Gravity	96		48	
	SG Wand/ SG Mini Motor	96		60	N/A



Roller Shade Limitations

Limitations Chart 9

Fabrics: Gaia, Radiance

		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Open Roll & Fabric Valance	Chain	120		110	
	Motor	120		110	100
	Zero Gravity	110		65	N/A
	SG Wand/ SG Mini Motor	120		70	30
3" Fascia	Chain	120		110	72
	Motor	120		80	
	Zero Gravity	110		65	N/A
	SG Wand/ SG Mini Motor	120		70	30
4" Fascia	Chain	120		110	
	Motor	120		110	100
	Zero Gravity	110		65	N/A
	SG Wand/ SG Mini Motor	120		70	30
Curved or Square Cassette	Chain	120		110	72
	Motor	120		80	
	Zero Gravity	110		65	N/A
	Chainless	110		48	N/A
Compact Curved Cassette	Chainless	110		48	N/A
	SG Wand/ SG Mini Motor	120		70	30
Compact Curved Cassette	Chain	50			
	Motor	36			
	Zero Gravity	36			
	Chainless	36			
PVC Valance	Chain	120		110	
	Motor	120		110	100
	Zero Gravity	110		65	N/A
	SG Wand/ SG Mini Motor	120		70	30
Dual Shade	Chain	96		72	
	Motor	96		72	
	Zero Gravity	96		48	N/A
	SG Wand/ SG Mini Motor	96		70	30

Limitations Chart 10

Fabrics: Paragon Screen 5%, Umbra, RS 405

		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Open Roll & Fabric Valance	Chain	120		110	
	Motor	120		110	
	Zero Gravity	110		60	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
3" Fascia	Chain	120		110	
	Motor	120		110	
	Zero Gravity	110		60	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
4" Fascia	Chain	120		110	
	Motor	120		110	
	Zero Gravity	110		60	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
Curved or Square Cassette	Chain	120		110	
	Motor	120		110	
	Zero Gravity	110		60	N/A
	Chainless	110		60	N/A
Compact Curved Cassette	Chainless	110		60	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
Compact Curved Cassette	Chain	60			
	Motor	50			
	Zero Gravity	50			
	Chainless	50			
PVC Valance	Chain	120		110	
	Motor	120		110	
	Zero Gravity	110		60	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
Dual Shade	Chain	96		72	
	Motor	96		72	
	Zero Gravity	96		48	N/A
	SG Wand/ SG Mini Motor	96		60	N/A



Roller Shade Limitations

Limitations Chart 11

Fabrics: Paragon Screen 1%, RS 401 1%, RS Reflect

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Open Roll & Fabric Valance	Chain	120		110	
	Motor	120		110	
	Zero Gravity	120	50	N/A	
	SG Wand/ SG Mini Motor	120	50	N/A	
3" Fascia	Chain	120	100	90	
	Motor	120		90	
	Zero Gravity	120	50	N/A	
	SG Wand/ SG Mini Motor	120	50	N/A	
4" Fascia	Chain	120		110	
	Motor	120		110	
	Zero Gravity	120	50	N/A	
	SG Wand/ SG Mini Motor	120	50	N/A	
Curved or Square Cassette	Chain	120	100	90	
	Motor	120		90	
	Zero Gravity	120	50	N/A	
	Chainless	120	50	N/A	
	SG Wand/ SG Mini Motor	120	50	N/A	
Compact Curved Cassette	Chain	50			
	Motor	42			
	Zero Gravity	42			
	Chainless	42			
	SG Wand/ SG Mini Motor	42			
PVC Valance	Chain	120		100	
	Motor	120		100	
	Zero Gravity	120	50	N/A	
	SG Wand/ SG Mini Motor	120	50	N/A	
Dual Shade	Chain	96		72	
	Motor	96		72	
	Zero Gravity	96	48	N/A	
	SG Wand/ SG Mini Motor	96	50	N/A	



Banded & Sheer Limitations

Banded Fabric Limitations

Fabric: Twilight

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Curved or Square Cassette	Chain	120		80	
	Motor	120		80	
	Zero Gravity	120		65	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
Compact Curved Cassette	Chain	44			
	Motor	30			
	Zero Gravity	30			
	SG Wand/ SG Mini Motor	30			

Fabric: Gaze

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Curved or Square Cassette	Chain	120			110
	Motor	120		105	
	Zero Gravity	85			48
	SG Wand/ SG Mini Motor	120		90	50
Compact Curved Cassette	Chain	70			
	Motor	60			
	Zero Gravity	60			
	SG Wand/ SG Mini Motor	60			

Fabric: Nostalgia

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Curved or Square Cassette	Chain	120		110	
	Motor	120		110	
	Zero Gravity	85			N/A
	SG Wand/ SG Mini Motor	120		90	50
Compact Curved Cassette	Chain	66			
	Motor	48			
	Zero Gravity	48			
	SG Wand/ SG Mini Motor	48			

Fabric: Bravado

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Curved or Square Cassette	Chain	120		100	90
	Motor	120		80	
	Zero Gravity	85		48	N/A
	SG Wand/ SG Mini Motor	120		60	30
Compact Curved Cassette	Chain	54			
	Motor	36			
	Zero Gravity	36			
	SG Wand/ SG Mini Motor	36			

Sheer Fabric Limitations

Fabric: Chic

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-108
Curved or Square Cassette	Chain	120			100
	Motor	120		105	90
	SG Wand/ SG Mini Motor	120		100	80

Fabric: Element

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-108
Curved or Square Cassette	Chain	120		110	72
	Motor	120		80	50
	SG Wand/ SG Mini Motor	120		80	50



Sun Glow Limitations: Interlude & Illusions

Interlude Limitations

Fabric:

Herringbone, Midnight

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Curved or Square	Chain	120		80	
	Motor	120		80	
Cassette	Zero Gravity	120		65	N/A
	SG Wand/ SG Mini Motor	120		60	N/A
Compact	Chain	44			
	Motor	30			
Curved	Zero Gravity	30			
	SG Wand/ SG Mini Motor	30			

Fabric:

Android, Gossamer, York

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Curved or Square	Chain	120		110	
	Motor	120		105	
Cassette	Zero Gravity	85		48	
	SG Wand/ SG Mini Motor	120		90	50
Compact	Chain	70			
	Motor	60			
Curved	Zero Gravity	60			
	SG Wand/ SG Mini Motor	60			

Fabric:

Cubic, Modest, Precious Metal, Safari, Terra, Timber, Vintage

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Curved or Square	Chain	120		110	
	Motor	120		110	
Cassette	Zero Gravity	85		N/A	
	SG Wand/ SG Mini Motor	120		90	50
Compact	Chain	66			
	Motor	48			
Curved	Zero Gravity	48			
	SG Wand/ SG Mini Motor	48			

Fabric:

Luxor, Republic

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-110
Curved or Square	Chain	120		100	90
	Motor	120		80	
Cassette	Zero Gravity	85		48	N/A
	SG Wand/ SG Mini Motor	120		60	30
Compact	Chain	54			
	Motor	36			
Curved	Zero Gravity	36			
	SG Wand/ SG Mini Motor	36			

Illusions Limitations

Fabric: Elegance, Limestone

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-108
Curved or Square	Chain	120		100	
	Motor	120		105	90
Cassette	SG Wand/ SG Mini Motor	120		100	80

Fabric: Natural

Width		Maximum Length by Width (inches)			
		<48	48-72	72-96	96-108
Curved or Square	Chain	120		110	72
	Motor	120		80	50
Cassette	SG Wand/ SG Mini Motor	120		80	50



Aero Limitations

	Fabric(s)	Chart #	Maximum Length by Width (inches)		
			<40	41-50	51-60
Aero Chainless	FronD	1	96	96	96
	Aspen, Bloom, Crystalline, Ecoscreen	2	96	96	70
	Cambric, Nature, Veil	3	96	96	70
	Lunar, Peru Translucent, Rustica Privacy	4	96	96	60
	Rustica Opaque	5	80	80	40
	Twinscreen 1%	6	50	50	20
	Azure, Oasis	7	50	50	50
	Crystalline Opaque, Paragon Screen 3%, Peru Opaque, Twinscreen 3%, Vinyl 4ply, Willow, RS 403	8	60	60	30
	Gaia, Radiance	9	70	70	40
	Paragon Screen 5%, Umbra, RS 405	10	70	70	30
	Paragon Screen 1%, RS 401, RS Reflect	11	50	50	20



Warranty

Off Cut Shades 5 Year Warranty

Who Is Covered And For How Long?

The warranty is extended to the original purchaser as long as the original purchaser owns the products. This warranty is not transferable.

Somfy and SG Rechargeable Motorized products are covered for 5 years from date of purchase.

Builds using 2" tubes with SG Rechargeable, Sonesse 30, and Sonesse 30 Wirefree motors are warranted for only 2 years.

Simply Cellular Shades are covered by a 3-year warranty.

What Is Covered?

- Defects in materials or workmanship.

What Is Not Covered?

- Any conditions caused by normal wear and tear.
- Environmental damage (humidity, UV, temperature, animal abuse, etc.).
- Acts of God (flood, tornadoes, fires, etc.).
- Improper handling or installation, abuse, accidents, misuse, or alterations. Costs associated with labour for any purpose, product removal, product installation, shipping or transportation, trips to or from product destination, or other incidental or consequential damages.
- Production contrary to Off Cut Shade's recommendations resulting in damage to the fabric. This includes requests to make shades exceeding the 1:2.5 width to height ratio or requests to railroad fabrics not recommended for railroading.

Remedy

If a Off Cut Shade product is found to be defective under the warranty, Off Cut Shade will, at its discretion, repair or replace the defective product with like or similar parts or products. Note: Fabric colours vary from dye lot to dye lot and may not exactly match sample swatch or previous purchases. Discontinued items will be repaired or replaced with an equivalent product, based on current availability.

To Obtain Service

To attain service under this warranty the consumer must obtain a RMA # and send the original product to Off Cut Shades. If less than 12 months since original ship date, Off Cut Shades will arrange for pick up. If after 12 months, return blinds to Off Cut Shades freight prepaid. Off Cut Shades will not assume responsibility for lost or damaged items without a RMA #.