

Cellular Shades





Cellular Shade System

Cordless & Motorized, Features and Benefits




Features & Benefits

- Quick Fit Spring Mount System: Allows for a fast and easy installation with spring loaded brackets (In zinc finish only).
- Small Mounting Depth: Fits tight spaces with minimal clearance, perfect for shallow window frames or compact areas.
- Rubberized Top Light Block Seal: Colour matched light seal prevents unwanted light from leaking in, enhancing room darkness and improving privacy with a cleaner look.
- Ultra Narrow Side Light Gaps: Minimal side light gaps for better privacy, giving a tailored appearance.
- Concealed Top Dust Cover: Offers a tidy, streamlined look and cleaner operation over time by protecting the top portion of the shade from dust buildup.
- Colour Matched End Caps: Provides a seamless finish spanning accross the valance and end caps.
- Self-Leveling Cordless Lift: Keeps the bottom bar perfectly level as the shade is operated, ensuring smooth, uniform positioning.
- No Drill Mounting Compatible: Allows damage free installation with included hardware, ideal for no drill surfaces, simple tool use required, no extras needed. (Refer to No Drill Specifications for further information)
- Dual Fabric Day & Night Control: Offers versatile light control with both day and night fabrics in same shade.
- Heat & Solar Reduction: Helps block heat and UV rays, improving indoor comfort and energy efficiency.
- Concealed Cords for child safety: Keeps cords hidden to prevent accidents, making it safer for kids while maintaining a sleek appearance.
- Whisper Quiet Operation: Operates silently to maintain a peaceful environment.
- Smart Motorization & Automation: Allows remote or automated hub controls with Stealth and Somfy Automation for the ultimate convenience, giving you effortless control at the touch of a button.



No-Drill Cellular Shade System

Cordless & Motorized, Features and Benefits




Features & Benefits

- True No Drill Installation: Installs securely without drilling holes, ideal for mounting where permanent mounting is not an option.
- Tension Mount Design with Screw Assist: Uses a concealed spring loaded system paired with tension screws, just a few turns with the screwdriver secures the shade firmly in place for a rock solid hold.
- All in One Hardware Kit Included: All hardware provided, including the screwdriver, so you're ready to install right
 out of the box.
- Front Screwdriver Access Port: Tension screw access port is front facing for easy access, no awkward angles, no guesswork.
- Colour Matched Port Cover: A provided cover conceals the access port after installation for a clean, seamless finish that matches the headrail. Can be removed to reach the front port if the shade needs to be taken down.
- Fits Shallow Windows with Ease: Slim mounting depth makes it ideal for shallow window frames, requires only 2.5" [63.5mm] of space.
- Quick Setup Time: The shade can be installed and operational in minutes, no professional needed.
- Mounting Surface Variety: Any solid painted, tile, concrete, wallpaper & wood surfaces are compatible. Soft, dirty, hollow surfaces and drywall are not recommended.
- Dual Fabric Day & Night Control: No drill installation also allows for 2 different fabrics in the same shade.
- Sleek No Drill End Caps: Curved end caps hide the no drill mounting hardware and match the shade profile for a seamless look, offered in white and black only.
- Smart Motorization & Automation: Allows remote or automated hub controls with Stealth and Somfy Automation for the ultimate convenience, giving you effortless control at the touch of a button.




All Dimensions Are In Inches [mm]

OPTION [1] Regular Shade (Single Fabric)



OPTION [2] Day & Night Shade (Dual Fabric)






Cellular Shade System


Measurement & Sizes

All Dimensions Are In Inches [mm]



TOP VIEW (Bracket Spacing)


Brackets Required By Width		
Shade Width	<60"	60" - 96"
# of Brackets	2	3



NOTE: For motorized shades, ensure the charging cable does not interfere with the mounting bracket (exits approx. 6" from the end).



All Dimensions Are In Inches [mm]



CEILING MOUNT: Measurement from the wall face to the mounting screw. **WALL MOUNT**: Measurement from the ceiling face to the mounting screw.