



Fabric, Hem, and Finish Options Fabric Specifications

| | 1 | ı | | | I _ | I | I _ | I _ | ı | _ | _ | I - | ı | 1 | |
|------------------------|-------------|-------|-----------------------------|--------|-----|-------|-----------|------------|---------|--------|-------|-------|--------|--------------|------|
| | | | | | | W | | | *** | | | | 0 | {GS } | RR |
| | Light | Price | | Fabric | | | Anti | Sound | | Roller | Panel | | Part | Graphic | Rail |
| Fabric | Penetration | Group | Composition | Width | FR | Green | microbial | Absorption | Reflect | Shade | Track | Roman | of Set | Shades | road |
| Sun Scre | ens | | | | | | | | | | | | | | |
| CS 101 | 1% | 3 | 25% Polyester, 75% PVC | 118" | | | | | | • | • | | | • | • |
| CS 103 | 3% | 2 | 25% Polyester, 75% PVC | 118" | • | | • | | | • | | | | • | • |
| CS 105 | 5% | 2 | 25% Polyester, 75% PVC | 118" | | | | | | • | | | | | |
| DX 201 | 1% | 4 | 25% Polyester, 75% PVC | 118" | | | • | | | • | | | | • | • |
| DX 203 | 3% | 3 | 25% Polyester, 75% PVC | 118" | | • | • | | | • | • | | | | • |
| RS 401 | 1% | 1 | 30% Polyester, 70% PVC | 118" | | • | • | | | • | • | • | | • | • |
| RS 403 | 3% | 1 | 30% Polyester, 70% PVC | 118" | | | | | | • | | | | | • |
| RS 405 | 5% | 1 | 30% Polyester, 70% PVC | 118" | | • | • | | | • | | | | • | • |
| RS 403 Reflect | 3% | 4 | 30% Polyester, 70% PVC | 118" | | | • | | | • | | | | • | • |
| RS 403 Fiberglass | 3% | 4 | 30% Fiberglass + 70% PVC | 118" | • | • | • | | | • | • | | | • | • |
| RS 405 Fiberglass | 5% | 4 | 30% Fiberglass + 70% PVC | 118" | • | • | • | | | • | • | | | • | • |
| Eco/Sust | | | oo var isongices a rover vo | 110 | | | | | | | | | | | |
| Apex View * | 2–3% | 7 | 100% PES Trevira CS | 120" | | | | | | • | | | • | • | • |
| EPT 301AC | 1% | 7 | 100% Trevira CS | 98" | • | • | | • | | • | • | | | • | • |
| EPT 301AC* | 1% | 7 | 100% Trevira CS | 118" | | | | • | | • | | | | | • |
| ELT 303 | 3% | 6 | 100% Trevira CS | 94" | | • | | | | • | • | | | • | • |
| Privacy | 1 070 | | 10070 HOVIIGOS | 01 | | | | | | | | | | | |
| | | | 1 | | | | | | | | | | | | |
| Astratta 🖈 | Privacy | 5 | 100% Polyester | 79" | | • | | | | • | • | | | | |
| Bling | Privacy | 4 | 100% Polyester | 83" | | • | | | | • | • | | | | |
| Chevron 🖈 | Privacy | 4 | 100% Polyester | 79" | | • | | | | • | • | | | | |
| Cirque 🖈 | Privacy | 3 | 100% Polyester | 79" | | • | | | | • | • | | | | |
| Cottonwood | Privacy | 0 | 100% Polyester | 118" | | • | | | | • | • | | | | • |
| Denim Privacy | Privacy | 2 | 100% Polyester | 118" | | • | | | | • | • | | • | | |
| Glow | Privacy | 3 | 100% Polyester | 79" | | • | | | | • | • | | | | • |
| Lavish 🖈 | Privacy | 5 | 100% Polyester | 79" | | • | | | | • | • | | | | |
| Merino | Privacy | 2 | 100% Polyester | 82" | | • | | | | • | • | • | | | |
| Mist | Privacy | 5 | 100% Polyester | 108" | | • | | | | • | • | • | • | | |
| Mykonos | Privacy | 4 | 100% Polyester | 108" | | | | | | • | • | • | | | |
| Petals | Privacy | 2 | 100% Polyester | 83" | | • | | | | • | • | | | | |
| Rustica Privacy | Privacy | 1 | 100% Polyester | 110" | | • | | | | • | • | • | • | | |
| Santorini | Privacy | 4 | 100% Polyester | 108" | | • | | | | • | • | • | | | |
| Satin Privacy | Privacy | 4 | 100% Polyester | 110" | • | • | | | | • | • | • | • | | |
| Wool Privacy Transpare | | 2 | 100% Polyester | 94" | | • | | | | • | • | | • | | İ |
| Transpar | | | | | | | | | | | | | | | |
| Bali | Transparent | 2 | 100% Polyester | 82" | | • | | | | • | • | • | | | |
| Boardwalk | Transparent | 1 | 100% Polyester | 113" | | • | | | | • | • | • | | | |
| Lagos | Translucent | 3 | 100% Polyester | 108" | | • | | | | • | • | • | | | |
| Linen | Transparent | 1 | 100% Polyester | 118" | | • | | | | • | • | • | | | |
| Reed | Transparent | 4 | 100% Polyester | 108" | | • | | | | • | • | • | • | | |
| Silves | Translucent | 4 | 100% Polyester | 110" | | • | | | | • | • | • | | | |
| Wave 🖈 | Transparent | 8 | 100% Polyester | 90" | | • | | | | • | • | • | | | |

Fabrics marked with a 🖈 can be found in the Designer section in the Sun Glow Fabric Collections sample books.

Fabrics marked with a * are available by special order only and are not typically kept in stock.



Fabric, Hem, and Finish Options Fabric Specifications

| | | | Γ | 1 | | | | | | | | | | | |
|---------------------|-------------|-------|---------------------------|--------|----|-------|-----------|------------|---------|--------|-------|-------|--------|--------------|------|
| | | | | | 8 | W | | | *** | | | | • | {C? } | ŖR |
| | Light | Price | | Fabric | | | Anti | Sound | | Roller | Panel | | Part | Graphic | Rail |
| Fabric | Penetration | Group | Composition | Width | FR | Green | microbial | Absorption | Reflect | Shade | Track | Roman | of Set | Shades | road |
| Transluce | Translucent | | | | | | | | | | | | | | |
| Earth2 | Translucent | 4 | 100% Polyester | 108" | | • | | | | • | • | • | | | |
| Faro | Translucent | 4 | 100% Polyester | 72" | | • | | | | • | • | • | | | |
| Flicker Translucent | Translucent | 5 | 100% Polyester | 94" | | • | | | | • | • | | • | | |
| Lattice Translucent | Translucent | 3 | 100% Polyester | 108" | | • | | | | • | • | • | • | | |
| Lima Translucent | Translucent | 2 | 100% Polyester | 122" | | • | | | | • | • | • | • | | |
| Peru Translucent | Translucent | 1 | 100% Polyester | 118" | | • | | | | • | • | • | • | | |
| Sagres | Translucent | 3 | 100% Polyester | 108" | | • | | | | • | • | • | | | |
| Opaque | | | | | | | | | | | | | | | |
| Apex Opaque * | Opaque | 10 | 100% Polyester Trevira CS | 94" | • | • | | | | • | • | • | • | | • |
| Denim Opaque | Opaque | 6 | 100% Polyester | 118" | | • | | | | • | • | • | • | | • |
| EZ 900 | Opaque | 3 | 100% Polyester | 118" | • | • | | | | • | • | | | • | • |
| Flicker Opaque | Opaque | 9 | 100% Polyester | 94" | | • | | | | • | • | • | • | | |
| Gaia | Opaque | 2 | 100% Polyester | 118" | | • | | | | • | • | • | | | |
| Lattice Opaque | Opaque | 5 | 100% Polyester | 108" | | • | | | | • | • | • | • | | |
| Lima Opaque | Opaque | 6 | 100% Polyester | 120" | | • | | | | • | • | • | • | | |
| Lunar | Opaque | 1 | 100% Polyester | 98" | | • | | | | • | • | • | | • | |
| Peru Opaque | Opaque | 2 | 100% Polyester | 118" | | • | | | | • | • | • | • | | |
| Rustica Opaque | Opaque | 2 | 100% Polyester | 110" | | • | | | | • | • | • | • | | |
| Satin Opaque | Opaque | 8 | 100% Polyester | 110" | | | | | | • | • | • | • | | |
| Vinyl 4 Ply | Opaque | 1 | 3ply PVC, 1ply fiberglass | 72" | • | • | • | | | • | • | | | • | • |
| Vinyl 4 Ply Wide | Opaque | 5 | 3ply PVC, 1ply fiberglass | 98" | • | • | | | | • | • | | | • | • |
| Vinyl 4 Ply Wide | Opaque | 5 | 3ply PVC, 1ply fiberglass | 120" | • | • | | | | • | • | | | • | • |
| Willow | Opaque | 1 | 100% Polyester | 102" | | • | | | | • | • | • | | | |
| Wool Opaque | Opaque | 5 | 100% Polyester | 94" | | • | | | | • | • | • | • | | |

Fabrics marked with a $\stackrel{\star}{\sim}$ can be found in the Designer section in the Sun Glow Fabric Collections sample books. Fabrics marked with a $\stackrel{\star}{\sim}$ are available by special order only and are not typically kept in stock.



Fabric, Hem, and Finish Options Green Materials Information

There is a move toward specifying and building healthy buildings and interiors that offer superior indoor air quality and energy efficiency. According to the Canadian Green Building Council, green building is the practice of increasing the efficiency of buildings and their use of energy, water and materials, and reducing the impact buildings have on the environment and human health. These goals are achieved through improving building design, construction, operation, maintenance and removal. Sustainable design focuses on the use of natural materials, reduced operating costs and improved occupant health as a result of improved indoor air quality. To be environmentally friendly, buildings are constructed from materials that reduce our impact on the environment.

Sun Glow continues to source quality fabrics that are environmentally friendly, improve energy efficiency and reduce operating costs. The use of automation with sun sensor controls, further enhances the energy efficiency of window treatments and increases their return on investment.

Sun Glow's customers have their own reasons for requiring "Green" fabrics and the specifications they must meet for their application. "Green" has a different definition for different suppliers of our fabric lines. Where you see the vicon on our fabric labels, it indicates that they have a green certificate. Certificates can be found on our website.






If a product is labeled as Oeko—Tex certified it is completely free from harmful chemicals and safe for human use. To attain Oeko—Tex Standard 100 certification, the fabric has been tested and certified to be free from harmful levels of more than 100 substances known to be harmful to human health.

The GreenGuard Certification indicates that the products emit little or no harmful by—products into indoor environments, thereby providing improved indoor air quality leading to healthier occupants.



Fabric, Hem, and Finish Options Hem Options

Accubar 2.1 & Wrapped Accubar 2.1




- · Aluminum hem bar with contemporary clean look.
- The Accubar 2.1 can be wrapped with shade cloth on the interior facing side.

Order Code:


Accubar 2.1: AB2

Wrapped Accubar 2.1: WA2



| Accubar 2.0 | End Cap |
|-------------|---------|
| White | White |
| Anodized | Grey |
| Black | Black |
| Linen | Linen |

Plain Hem



- 1.75" welded or sewn pocket with aluminum slat insert
- · Sides are left unsewn unless otherwise specified.
- · Compatible with blackout channel.


Order Code:

Plain Hem: PH

Plain Hem w/ Stitched Sides: PHS




Fabric, Hem, and Finish Options Wire Guide





Fabric, Hem, and Finish Options Wire Guide



COMPATIBLE SYSTEMS:


- OPEN ROLL (40mm, 55mm & 75mm SLIM LINE BRACKETS)
- COMPACT CURVED CASSETTE
- CURVED CASSETTE
- 3 SQUARE FASCIA
- 4 SQUARE FASCIA
- DUAL OPEN ROLL
- DUAL SQUARE FASCIA

NOTE: OPEN ROLL SHOWN AS AN EXAMPLE.

| FEATURES DEVICETES | | | | | | | | | | | |
|--|-------|---|-----------|------------|------|-----------------|---------|------|--|--|--|
| FEATUR | ES | BENEFITS | | | | | | | | | |
| Minimal Base Rail Movement | | Wire Guides are normally installed into the areas with long drop blinds or areas exposed to winds or draughts, | | | | | | | | | |
| | | such as from building A/C vents. The base rail is fitted with special end caps that encapsulate a fixed vertical wire | | | | | | | | | |
| | | that restrains the base rail from lateral r | novement. | | | | | | | | |
| Simple and Safe Installation Wire guide system is designed to be ceiling, wall or laterally mounted. | | | | | | | | | | | |
| Versatility | | Can be adapted to existing roller shades systems without having to cut down tube or fabric. Bottom bar must be | | | | | | | | | |
| versacility | | Accubar 2.0. | | | | | | | | | |
| Compatibility | | Works with a wide variety of Sun Glow systems. Wire Guides can be used in conjunction with Chain, Lift Assist | | | | | | | | | |
| Compatibility | | Mechanisms, Zero Gravity and Motorized (AC/DC) Drives. | | | | | | | | | |
| Wire Feeding End Cap Design | | Allows the Bottom Bar to be easily fastened to the Stainless Steel Wire with the Slanted Gap on the Bottom Bar | | | | | | | | | |
| | | End Caps. | | | | | | | | | |
| Invertible End Caps | | Wire bottom Bar End Caps, can be used singularly on individual blinds or a inverted pairs when sharing a common | | | | | | | | | |
| | | center wire. | | | | | | | | | |
| Ball Locking Mechanism Allows Stainless Steel Wire to easily insert and lock into the Top Swivel Bracket and Wire Retainer Bo | | | | | | iner Bottom Fix | xing. | | | | |
| SCALE: 1 /3.5 | DWG.# | : WG-F&B-SB-01 | DATE: | 2022-11-25 | REV: | 6 | DWG.BY: | R.G. | | | |



Fabric, Hem, and Finish Options Wire Guide





Fabric, Hem, and Finish Options Metal Finish Colour Chart

| | White | Linen | Anodized/ Grey | Brown | Black |
|------------------------------------|-------|-------|-------------------|-------|-------|
| Vision Roller Shade Systems | | | | | |
| Vision™ V-84 & V-102 | • | • | • | • | • |
| Vision™ Bracket Covers | • | • | • | • | • |
| Roller Shade Systems | | | | | |
| Open Roll Brackets & Covers | • | • | • | | • |
| 3" and 4" Square Fascia & End Caps | • | • | • | | • |
| Curved Cassette & End Caps | • | • | • | | • |
| Compact Curved Cassette & End Caps | • | • | • | | • |
| Square Cassette | • | • | • | | • |
| Recessed Pocket Enclosures | | | | | |
| Hanger & Closure (both 4" and 5") | • | | • | | |
| Dual Shades | | | | | |
| Fascia & End Caps | • | | • | | • |
| Nimbus | | | | | |
| Springbox | • | | • | | • |
| Springbox Endcaps | • | | | | • |
| Panel Track | | | | | |
| 3, 4, and 5 Channel Track | • | | | | |
| Light Shelf | | | | | |
| Light Shelf Frame | • | | • | | • |
| Blackout Side & Bottom Channel | | | | | |
| Blackout Channel | • | | • | | • |
| Hems | | | | | |
| Accubar & End Caps | • | • | • | | • |