







Features & Benefits

- The Interlude system combines transparent, translucent or opaque vanes for control over privacy and light filtering.
- Universal bracket provides easy installation for both ceiling and wall mount applications.
- Minimum width varies based on motor choice.
 Refer to automation section.
- Plastic bead loop chain available in white, linen, grey, dark brown, and black
- Stainless steel loop chain is optional and comes in standard lengths of 45", 50", 55", 60", 65", 70", 75", 80" and 85".
- Curved Cassette allow for the option of adding a fabric insert for complete coordination. Fabric insert is comprised of the opaque or translucent vanes of the fabric. Unique bottom bar features a fully enclosed roller mechanism.
- System is enclosed in a Curved Cassette available in white, anodized, linen, brown, and black with matching end caps.




Dimensions & Overview






Brackets Required By Width								
Shade Width	<60"	60"-96"	96"-120"	120"–148"	>148"			
# of Brackets	2	3	4	5	6			


Mounting Specifications








Dimensions & Overview







Brackets Required By Width								
Shade Width	<60"	60"-96"	96"-120"	120"-148"	>148"			
# of Brackets	2	3	4	5	6			

^{*} Each mounting bracket requires a minimum of 2 screws for ceiling or wall mounts.

Mounting Specifications







Interlude Bottom Bar

- For use with chain and motorized systems.
- Aluminum bar with contemporary clean look.
- Internal roller allows the banded fabric to glide through smoothly.
- Available in white, anodized, linen, brown, and black with matching end caps.

Zero Gravity Interlude Bottom Bar

- For use with the Zero Gravity system only.
- Aluminum bar with contemporary clean look.
- Exposed roller design.
- Available in white, anodized, linen, brown, and black with matching end caps.